



DURATECH XT
60x60cm

DURATECH
40x40cm

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria




Aesthetic and Functional

Features :



HIGHER
THICKNESS :



WATER ABSORPTION
< 0.10%



RECTIFIED



RESISTANT TO
STAINS



ANTISLIP



HIGHLY UV
RESISTANT




RESISTANT TO
SCRATCHES



EASY TO
CLEAN



FROST
RESISTANCE



RESISTANCE TO
HIGH TEMPERATURES



HEAVY LOAD
BEARING



HIGH MECHANICAL
RESISTANCE



DURATECH

One of the most important conditions to create aesthetic and functional space is to choose materials suitable for the space. In particular, floors that are the mostly commonly used parts of the outdoor spaces are an important factor to ensure that the conditions in the space meet the needs.

Kajaria Duratech & Duratech XT - Heavy Duty Vitrified Tiles can be safely used in all internal and external spaces that are exposed to high load and pedestrian traffic. They are a flawless blend of elegance and durability. Maintaining all the vital parameters namely surface hardness (Moh), water absorption, breaking strength (Mor), Load Bearing Capacity etc., the application base of Duratech & Duratech XT series is wider, and its every design is a true reflection of art. They are safely used on Floor area like pedestrian traffic areas, vehicular movement areas, terraces, Seatout areas, balcony, roof sunbathing areas, veranda, seaside, beach, swimming pools, sidewalk, airport, metros, train stations, industrial buildings, parking lots, underpasses, villa gardens, educational buildings etc..

Application Areas :



PATHS AND
WALKWAYS



SWIMMING POOLS
AND ADJACENT
AREAS



TERRACES



PARKING AREAS,
TRANSITABLE
AREAS



BEACH
ESTABLISHMENTS



PUBLIC PARKS
AND GARDENS



STREET
FURNISHINGS



INDUSTRIAL
AREAS

Kajaria





Kajaria

Introducing
DURATECH XT
60x60_{cm}

12_{mm}

ULTRATHICK OUTDOOR VITRIFIED TILES

<0.10


WATER ABSORPTION

THE PERFECT SOLUTION FOR YOUR
HEAVY DUTY OUTDOOR NEEDS



K 7012

600x600mm



K 7013


600x600mm











K 7014


600x600mm



K 7017

600x600mm





K 7025

600x600mm




K 7026

600x600mm



K 7027

600x600mm



K 7028

600x600mm





K 7032

600x600mm




K 7033

600x600mm








K 7040

600x600mm



K 7041


600x600mm



Kajaria









K 7042

600x600mm



K 7043

600x600mm







K 7044

600x600mm







K 7046

600x600mm



K 7047

600x600mm



K 7048

600x600mm



K 7053


600x600mm



K 7054

600x600mm





K 7055

600x600mm









K 7056

600x600mm



K 7057

600x600mm




K 7058

600x600mm







K 7060

600x600mm




K 7061

600x600mm



K 7067

600x600mm



K 7068

600x600mm







K 7070

600x600mm



K 7092

600x600mm







K 7093

600x600mm



K 7094

600x600mm





K 7095

600x600mm



K 7099

600x600mm




K 7101

600x600mm









Kajaria

DURATECH
40x40cm


12mm

ULTRATHICK OUTDOOR VITRIFIED TILES

<0.10


WATER ABSORPTION

THE PERFECT SOLUTION FOR YOUR
HEAVY DUTY OUTDOOR NEEDS



4011 A


400x400mm



4012 A

400x400mm





4013 B 400x400mm



4014 B 400x400mm



4015 B 400x400mm



4016 B 400x400mm



4017 C

400x400mm



4018 C

400x400mm



4019 C

400x400mm





4020 D

400x400mm



4020 D-HL

400x400mm



4021 E 400x400mm



4021 E-HL 400x400mm



4022 E 400x400mm



4023 E 400x400mm



4024 F

400x400mm



4024 F-HL

400x400mm



4025 F

400x400mm





4026 G

400x400mm



4027 G

400x400mm



4028 G

400x400mm





4029 H 400x400mm



4030 H 400x400mm



4031 H 400x400mm



4032 H 400x400mm



4033 I

400x400mm



4034 I

400x400mm




4035 I

400x400mm



Kajaria



4036 J

400x400mm



4037 J

400x400mm



4038 J

400x400mm



4039 K

400x400mm



4040 K

400x400mm





4041 L

400x400mm



4042 L

400x400mm



4043 M 400x400mm



4044 M 400x400mm



4045 N 400x400mm



4046 N 400x400mm



4047 0

400x400mm



4048 0

400x400mm





4049 P

400x400mm



4050 P


400x400mm





4051 Q

400x400mm



4052 Q

400x400mm



4053 R

400x400mm



4054 R

400x400mm





4055 S 400x400mm



4056 S 400x400mm



4057 S 400x400mm



4058-T

400x400mm



4059-T

400x400mm





4060 U

400x400mm



4061 U

400x400mm

TECHNICAL SPECIFICATION 600x600MM | 400X400MM / 12MM DURATECH

S.No.	PROPERTY	GROUP BIA - ISO 13006/EN-176	GROUP BIA IS 15822:2017	OUR VALUE	TEST ACCORDING TO
Dimensions & surface Quality					
1.	Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545-2/IS:13630 (P-1)
2.	Deviation in thickness	± 5%	± 5%	± 4%	ISO 10545-2/IS:13630 (P-1)
3.	Deviation in Straightness of sides	± 0.5%	± 0.5%	± 0.1%	ISO 10545-2/IS:13630 (P-1)
4.	Deviation in Rectangularity	± 0.6%	± 0.1%	± 0.1%	ISO 10545-2/IS:13630 (P-1)
5.	Deviation in Surface Flatness	± 0.5%	± 0.5%	± 0.2%	ISO 10545-2/IS:13630 (P-1)
6.	Surface Quality (C)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545-2/IS:13630 (P-1)
Physical characteristics					
7.	Scratch Hardness of surface Moh's scale	Min. 6	Min. 5	6	EN-101/IS:13630 (P-13)
8.	Water absorption	±0.5%	Averages 0.08, Individual maximum 0.10%	<0.1%	ISO 10545-3/IS: 13630 (P-2)
9.	Moisture Expansion	Nil	-	Nil	ISO 10545-10
10.	Surface Abrasion Resistance	As per Mfg.	-	Min. Class-4	ISO 10545-7
11.	Deep Abrasion	max 175 mm ³	max 140 mm ³	< 144mm ³	ISO 10545-6/IS:13630 (P-12)
Mechanical characteristics					
12.	Breaking strength	1300 N	Min 1300 N	>3000N	ISO 10545-4/IS: 13630 (P-6)
13.	Modulus of rupture	>35 N/mm ²	Average 35, Individual minimum 32	>40 N/mm ²	ISO 10545-4/IS: 13630 (P-6)
14.	Impact resistance	Declared by manufacturer	Required	Min. 0.55	ISO 10545-5/IS:13630 (P-14)
Safety characteristics					
15.	Density	2.20 gm/cc	Min 2.20 gm/cc	2.30 gm/cc	ISO 10545-3
16.	Skid resistance (Friction coefficient)	≥0.4	-	≥0.5	ISO 10545-17
Thermo photo characteristics					
17.	Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545-9/IS: 13630 (P-5)
18.	Co-efficient of thermal expansion	9×10 ⁻⁶ °K ⁻¹ Max	6×10 ⁻⁶ °K ⁻¹ Max	<6×10 ⁻⁶ °K ⁻¹ Max	ISO 10545-8/IS:13630 (P-4)
19.	Frost resistance	Resistant	Required	Frost proof	ISO 10545-12/IS: 13630 (P-10)
20.	Crazing Resistance	As per Mfg.	-	Min 10 cycles	ISO 10545-11
Chemical characteristics characteristics					
21.	Stain Resistance	Min class-3	Required	Min conform to class-4*	ISO 10545-14
22.	Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UIA*	ISO 10545-13/IS:13630 (P-7)
23.	Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-ULA*	ISO 10545-13/IS:13630 (P-7)
24.	Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-UIB	Required	Conform to classes-UIA*	ISO 10545-13/IS:13630 (P-7)

PACKING DETAILS

DIMENSIONS (MM)	NO. OF TILES / BOX	COVERAGE AREA
600x600	3 Pcs.	1.08 sqm.
400x400	5 Pcs.	0.80 sqm.

* Vitrified tiles have resistance to most of the stains/chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

* Resistance to acids & alkalis (Exception Hydrofluoric Acids & its Compounds)

• Colours in the catalogue are as accurate as printing process allows, please check actual tile sample before making the final selections.

• Sizes mentioned in the catalogue are nominal sizes only.

• No claim will be entertained once the tiles are fixed.

• For better laying, please follow the instructions on the packaging box.

• Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

NORTH**CHANDIGARH**

SCO- 45-46-47, first floor, sector 17A,
opp. Taj Hotel, Chandigarh-160017
Mobile : 9779042134, 9779009264
Phone : 0172- 4631419 / 16

DELHI

J-1/B-1 (Extn.),
Mohan Co-Operative Industrial Estate,
(Opp. Badarpur Thermal Power Station),
Mathura Road, New Delhi - 110 044. (Delhi)
Mobile : 9717795123, 9717795181

DEHRADUN

International Trade Tower, 1 Old Survey Road,
Adjoining Rajpur Road,, Near Cross Road Mall
Dehradun - 248001, Uttarakhand
Mobile : 97600 40499

JAIPUR

G-1-2, Ashwarya Tower,
Near Hotel Hawa Mahal, Ajmer Road,
Jaipur-302005, (Rajasthan)
Mobile : 9929022124

LUDHIANA

Upper Ground Floor, Sandhu Tower-2,
Gurdev Nagar, Ferozpur Road,
Ludhiana - 141001, Punjab
Mobile : 9779021257

LUCKNOW

529 GHA/06, Kanchana Bihari Marg,
Near Jagrani Hospital, Ring Road
Lucknow - 226016 (U.P.)
Mobile : 9793299660, 8173001374

VARANASI

Rukmani Tower, N8/247-2K-1, DLW,
BBU Road, Newada, Sunderpur
Varanasi-221005, Uttar Pradesh
Mobile : 9794865554, 9005065656

WEST**AURANGABAD**

Plot No 300,10/3 N-3, Opposite
Ramgiri Hotel, Jaina Road, Sidco,
Aurangabad- 431003, (Maharashtra)
Mobile : 8600992618

MUMBAI

B1-307, BOOMERANG, Chandivali Farm Road,
Near Chandivali Studio, Off Sale Vihar Road,
Andheri (E) Mumbai - 400072, (Maharashtra)
Mobile : 9987753947, 9987753948

NAGPUR

Parthamesh Raja Apartment., Above
Bank of Baroda, Untakhana Road,
Medical Square, Nagpur - 440009,
(Maharashtra)
Mobile : 7759904583

PUNE

601 A, D.S.K. Gandharv Heights,
Ganesh Khind Road, Shivaji Nagar,
Pune - 411005, (Maharashtra)
Mobile : 7028005373

CENTRAL**INDORE**

15/2 Meera Path Colony, Opp. New Railway Station,
Near BSNL office, Indore - 452001 Madhya Pradesh
Mobile : 9752593468, 9752593467

RAIPUR

1st Floor, Maharaja Plaza, Near Wholesale
Fruit Market, Dhamtan Road, Lalpur
Raipur-492001, Chhattisgarh
Mobile : 9755007408

EAST**KOLKATA**

Tirupati Plaza, 2nd Floor, 74/2, A.J.C.Bose Road,
Opp to Jora Garja,
Kolkata - 700 016 (West Bengal)
Mobile: 9007011023

SOUTH**BANGALORE**

Farah Icon, 119 First Floor
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore - 560 027, (Karnataka)
Mobile : 9008098325, 9008007336, 90082 78672

CHENNAI

Old No.121, New No.38, Anihant jashn Building,
Rukmani Lakshmiipathi Salai,
Opp to Rajarathinam Stadium, Egmore
Chennai - 600008, TamilNadu
Mobile : 9003077099
Phone : 044-28594990 / 28594991

COCHIN

MN Square, 1st Floor
549/2, Near Gold Souk Grande
NH Bypass, Vytilla, Cochin- 19, (Kerala)
Mobile : 9746474732, 9746474739, 9746474733

COIMBATORE

First Floor , No.57, Cowley Brown Road,
R.S Puram, Coimbatore - 641002, (Tamil Nadu)
Mobile : 9003325075

HYDERABAD

Kaerthi & Pride Towers, House No. 8-2-12Q/86/1&2,
3rd Floor, plot No.11 & 12, Road No.2, Banjara Hills
Hyderabad-500034, (Telangana)
Mobile : 9000005385

VIJAYWADA

61-3/4-1, 1st Road, Goetha Nagar, Beside SBI Bank,
NH-5,Vijaywada-520013, (Andhra Pradesh)
Mobile : 7799660222, 9000302776

SALES REPRESENTATIVE**NORTH****AGRA :**

Mobile : 9760045574

ALLAHABAD :

Mobile : 9773983600

BHATINDA :

Mobile : 9501001162

FARIDABAD :

Mobile : 9717219345

GURGAON :

Mobile : 9717795118
9650065523

GHAZIABAD :

Mobile : 9810010240

GORAKHPUR :

Mobile : 8009407878

HALDWANI :

Mobile : 9760098112

HISSAR :

Mobile : 9996907982

JALANDHAR :

Mobile : 9779021261

JAMMU :

Mobile : 9906909300

JODHPUR :

Mobile : 9001094759

KANPUR :

Mobile : 8173001374

GHAZIABAD/ NOIDA :

Mobile : 9810010240

ROHTAK :

Mobile : 9996907982

SHIMLA

Mobile : 9501001163

UDAIPUR :

Mobile : 9001092597

EAST**BHAR :**

Mobile : 7781005449

JHARKHAND :

Mobile : 9938234060

WB/NE

Mobile : 9007372220

ODISHA

Mobile : 9937571222

SOUTH**CALICUT :**

Mobile : 9746117422

KANNUR :

Mobile : 9746474736

HUBLI :

Mobile : 9008022099

MADURAI :

Mobile : 9840284411

MANGALORE :

Mobile : 9008402944

SALEM :

Mobile : 9003842142

TRIVANDRUM :

Mobile : 9746474735

TRICHY :

Mobile : 9003075175

THRISSUR :

Mobile : 9746474734

VIJAYAWADA :

Mobile : 9000005385

WEST**KOLHAPUR :**

Mobile : 8600992617

NASIK :

Mobile : 9730081553

GOA :

Mobile : 7757032203

SURAT :

Mobile : 9724340890

BARDOL :

Mobile : 9205897978

CENTRAL**BILASPUR :**

Mobile : 9752593830

JABALPUR :

Mobile : 9752593831

GWALIOR :

Mobile : 9752593834

BHOPAL :

Mobile : 7389035949

Kajaria

INDIA'S NO. 1 TILE COMPANY

Kajaria Ceramics Limited

Corporate Office: J1/B1 (Extn.), Mohan Co-op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: +91-11-26946408, Fax: +91-11-26946407

Regd. Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.: +91-0124-4081281

CIN No.: L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web.: www.kajariaceramics.com

[facebook.com/KajariaCeramicsLimited](https://www.facebook.com/KajariaCeramicsLimited) twitter.com/KajariaCeramic, Tollfree : 1800-11-2992

Download Kajaria App  