


FLOORS

195x1200 MM

GRÉS  **TOUGH**
HIGH STRENGTH DIGITAL FLOOR TILES



NORTH & EAST REGION

Kajaria GRÉS

India's Trusted Tile



India's No. 1 and World's 8th largest Tile company



Gailpur, Rajasthan Plant

The world's most certified tile plant

Committed to Energy
India's first tile company with
ISO 50001:2018
CERTIFIED

Certification for Implementing Energy Management System Standards.

Committed to Society
India's first tile company with
ISO 8000:2014
CERTIFIED

Certification for Implementing Social Accountability Management System Standards.

Committed to Save Environment
India's first tile company with
ISO 14001:2015
CERTIFIED

Certification for Implementing Environmental Management System Standards.

Committed to Safety
India's first tile company with
ISO 22000:2018
CERTIFIED

Certification for Implementing Food Safety Management System Standards.

Committed to Excellence
India's first tile company with
ISO 9001:2015
CERTIFIED

Certification for Implementing Quality Management System Standards.

Committed to Health
India's first tile company with
ISO 45000:2018
CERTIFIED

Certification for Implementing Occupational Health and Safety Management System Standards.

Awards & Accolades



Only tile company in India to be conferred with "Superbrand" for the fourteen times in a row.



Awarded Asia's Most promising brand.

IS 15622



Building Today For Tomorrow

Embracing sustainability for a thriving legacy



Highlights of Gailpur, Rajasthan Plant



GRIHA's certified products for sustainable habitat.



As an Indian Green Building Council member, we prioritize eco-friendly practices.



Producing solar power at our plant to reduce carbon footprints.



Conserving water by recycling 100% water waste.



100% recycling manufacturing waste.



Substantially using natural gas to keep the environment clean.

GRES TOUGH

High-Strength Digital Floor Tiles

800x1600 mm | 600x1200 mm | 195x1200 mm | 600x600 mm



High-strength digital floor tiles.



Suitable for indoor and outdoor use; resistant to water and fire.



Super flat surface with precise dimensions and warpage control.



Robust and Resilient, can endure challenging conditions over time.



Timeless designs inspired by stone, marble and wood.



High durability and functionality make our tiles ideal for extensive use & versatile applications.



Available in various sizes, designs and finishes for all budgets.



Meets the highest quality standards.



INDEX

195x1200 MM (PLANKS)

GRÈS  TOUGH

AFRICANA WENGE	06
AMAZON WALNUT	06
AMBER ROSSO	06
BHUTAN WENGE	06
BRIER CREEK OAK	06
CASK WHITE PINE	09
CHARM STONE BEIGE	09
CHARM STONE GREY	09
CHERRY BEECH	09
CORBETT TEAK	10
COUNTRY WOOD	09
ENGLISH MAHOGANY	10
EQUADOR TEAK	10
ESPADOAN SHINA	10
HILLCREST WALNUT	10
HIMALAYAN CEDAR	13
JACOBAN WOOD	13
JAMESON WALNUT	13
KASHMIR WILLOW	13
KAZIRANGA TEAK	13
LARCH WOOD	14
MARLOW WOOD	14
MARRON FONCE	14
METAL OXIDO	14
MONTI WENGE	14
NATURAL HICKORY	16
NICOBAR CEDAR	16
SENEGAL OAK	16
SIBERIAN PINE	16
SILICATE GOLD	16
VALLEY GROVE OAK	17





AFRICANA WENGE



AMAZON WALNUT

R



AMBER ROSSO

R



BHUTAN WENGE

R



BRIER CREEK OAK

R



WALL : AMBER ROSSO
FLOOR : AMBER ROSSO



FLOOR : CASK WHITE PINE



CHARM STONE BEIGE

R



CHARM STONE GREY

R



CASK WHITE PINE

R



CHERRY BEECH

R



COUNTRY WOOD

ROCKER CARVING R



CORBETT TEAK

R



ESPADOAN SHINA

ROCKER CARVING R



ENGLISH MAHOGANY

R



EQUADOR TEAK

R



HILLCREST WALNUT

R



FLOOR : ENGLISH MAHOGANY



FLOOR : JACOBAN WOOD



HIMALAYAN CEDAR

R



JACOBAN WOOD

R



JAMESON WALNUT

R



KASHMIR WILLOW

R



KAZIRANGA TEAK

R



LARCH WOOD

ROCKER CARVING 



MARLOW WOOD





MARRON FONCE

ROCKER CARVING 



METAL OXIDO

ROCKER CARVING 



MONTI WENGE

ROCKER CARVING 





NATURAL HICKORY

R



NICOBAR CEDAR

R



SENEGAL OAK

R



SIBERIAN PINE

R



SILICATE GOLD

R



VALLEY GROVE OAK

R



FLOOR : VALLEY GROVE OAK

SPECIFICATIONS

FLOOR TILES

WORK SIZE		PIECES / BOX (NOS.)	COVERAGE / BOX (SQ. MTRS.)	WEIGHT / SQ. MTR. (KGS.) (APPROX)
Dimensions (in mm)	Thickness (in mm)			
195x1200 MM (GRESTOUGH)-PLANK)	9.00	4	0.936	19.23

KAJARIA GRES TILES TECHNICAL SPECIFICATION - GROUP B IIa , ISO Standard 13006:2018 & IS 15622 :2017					
SR.No.	TEST DESCRIPTION	STANDARD TEST METHOD	ISO STANDARD 13006:2018	IS 15622 :2017	OUR VALUES
1	Deviation in length & Width	ISO 10545-2/ IS 13630 Part 1	Max. ±0.30%	Max. ± 0.10%	Max. ± 0.10%
2	Deviation in Thickness	ISO 10545-2 / IS 13630 Part 1	Max. ± 5.0%	Max. ± 5.0%	Max. ± 4.0%
3	Deviation in Straightness of Sides	ISO 10545-2 / IS 13630 Part 1	Max. ± 0.30%	Max. ± 0.10%	Max. ± 0.10%
4	Deviation in Rectangularity	ISO 10545-2 / IS 13630 Part 1	Max. ± 0.30%	Max. ± 0.10%	Max. ± 0.10%
5	Surface Flatness (Center & Edge curvature)	ISO 10545-2/ IS 13630 Part 1	Max. ± 0.40%	Max. ± 0.50%	Max. ± 0.20%
6	Warpage	ISO 10545-2 / IS 13630 Part 1	Max. ± 0.40%	Max. ± 0.50%	Max. ± 0.20%
7	Surface Quality	ISO 10545-2 / IS 13630 Part 1	Min 95% free from visible defects	Min 95% free from visible defects	Min 95% free from visible defects
8	Water Absorption	ISO 10545- 3 / IS 13630 Part 2	3% < Average ≤ 6 %	3% < Average ≤ 6 %	2.5% To 3.5%
9	Moisture Expansion	ISO 10545-10 / IS 13630 Part 3	Test Method Available	0.03 mm/m Max	0.006 mm/m Max
10	Linear Thermal Expansion	ISO 10545-8 / IS 13630 Part 4	Test Method Available	≤9X10 ⁻⁶ K ⁻¹	≤9X10 ⁻⁶ K ⁻¹
11	Thermal Shock Resistance	ISO 10545-9/ IS 13630 Part 5	Test Method Available	10 Cycle Min	10 Cycle Min
12	Breaking Strength	ISO 10545-4/IS 13630 Part 6	≥ 1000 N	≥ 1000 N	≥ 1400 N
13	Modulus of Rupture	ISO 10545-4 / IS 13630 Part 6	Average Min -22 N/mm ² Individual min - 20 N/mm ²	Average Min -22 N/mm ² Individual min - 20 N/mm ²	Average Min -32 N/mm ² Individual min - 30 N/mm ²
14	Resistance to Chemical	ISO 10545- 13 /IS 13630 Part 8	Min Class B	Min Class AA	Min Class AA
15	Resistance to stain	ISO 10545-14 / IS 13630 Part 8	Min Class 3	Min Class 1	Min Class 1
16	Crazing Resistance	ISO 10545-11 / IS 13630 Part 9	Required	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar
17	Resistance to Surface Abrasion	ISO 10545-7 / IS 13630 Part 11	Report Abrasion Class And cycle passed	Class II Min	Min Class -IV
18	Scratch Hardness (Moh,s scale)	IS 13630 Part 13	NA	Min 4	Min 5
19	Impact Resistance(COR)	ISO 10545-5 / IS 13630 Part 14	Test Method Available	0.55 Min	0.78 Min
20	Frost Resistance	ISO 10545-12/ IS 13630 Part 10	Test Method Available	Required , if agreed to between manufacturer and purchaser	100 Cycle Passed
21	Lead and Cadmium Release	ISO 10545-15	Test Method Available	NA	Cd - <1 ppm , Pb - 52 ppm

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Kajaria GRÉS

India's Trusted Tile

EXPERIENCE CENTRES / REGIONAL OFFICE

NORTH

CHANDIGARH :

SCO 17, 1st Floor ,
Sector-7C , Madhya Marg, Chandigarh.
Phones : 0172-4631418, 4631415
E-mail : chandigarh@kajariagres.com

DEHRADUN :

485, Dharampur, Haridwar Road, Dehradun
Phone : 0135-2675329
Mob. : 9760044701
E-mail : dehradun@kajariagres.com

JAIPUR :

Ground Floor, Nidhi Kamal Tower,
Plot No 37-38 B, Barwara House,
Ajmer Road, Jaipur - 302006, Rajasthan
Phone : 0141-4910941, 2220244
E-mail : jaipur@kajariagres.com

JAMMU :

Marble Market, Near Samsung Plaza,
Satyam Road Trikuta Nagar,
Jammu - 180012, Jammu and Kashmir
Mob. : 7827993481,
Phone : 0191-7966728
E-mail : jammu@kajariagres.com

LUCKNOW

Plot No.146, 2nd Floor, Above Kalyan Jewellers,
Adj. Ghajipur Police Station,
Near Bhootnath Metro Station, Faizabad Road,
Lucknow (UP) - 226016
Phone : 0522-4029181, Mob. : 9870109404
E-mail : lucknow@kajariagres.com

VARANASI :

67B/1, Circuit House Road,
Near Dressland Showroom,
Sikraul, Bhojubeer, Varanasi - 221002
Phone : 0542-2500483
Mob. : 9005092402
E-mail : varanasi@kajariagres.com

EAST

PATNA (Regional Office)

'ANCHAL', House No.-15, Ground Floor
Justice Narayan Path, Nageswar Colony
Patna - 800001, Bihar
Mob. : 9334791993
E-mail : patna@kajariagres.com

KOLKATA (Regional Office)

Tirupati Plaza, 2nd Floor 74/2,
Acharya Jagdish chandra Bose Road,
Kolkata -700 016, West Bengal
E-mail : kolkata@kajariagres.com

CENTRAL

RAIPUR :

Shop No.: 507 & 508, 5th Floor,
Lalganga Business Park, NH-43,
Pachpedi Naka, Raipur, Chhattisgarh-492001
Mob: 9926897529, 8669665897, 7714060427
E: raipur@kajariagres.com

INDORE (Regional Office)

S.A. Tower, 1st Floor, 13/3 New Palasia,
Opp. Arya Samaj Building,
Indore - 452001, Madhya Pradesh
Phone : 0731- 4068839, Mob. : 9752593462
E-mail : indore@kajariagres.com

Kajaria **GRÈS** India's Trusted Tile

Kajaria Ceramics Limited

Corporate Office: J1/B1 (Extn.), Mohan Co - op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: 011-26946409

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.:0124-4081281

CIN No. : L26924HR1985PLC056150, Web.: www.kajariagres.com, Toll Free : 1800 120 100

follow us on :   