

FLOORS

400x400 MM

300x300 MM



NORTH & EAST REGION

***Kajaria* GRÉS**

India's Trusted Tile



India's No. 1 and World's 8th largest Tile company



Gailpur, Rajasthan Plant

The world's most certified tile plant



Certification for Implementing Energy Management System Standards.



Certification for Implementing Social Accountability Management System Standards.




Certification for Implementing Environmental Management System Standards.



Certification for Implementing Food Safety Management System Standards.



Certification for Implementing Quality Management System Standards.



Certification for Implementing Occupational Health and Safety Management System Standards.

Awards & Accolades



Only tile company in India to be conferred with "Superbrand" for the fourteen times in a row.



Awarded Asia's Most promising brand.

IS 15622



Building Today For Tomorrow

Embracing sustainability for a thriving legacy



Highlights of Gailpur, Rajasthan Plant



GRIHA's certified products for sustainable habitat.



As an Indian Green Building Council member, we prioritize eco-friendly practices.



Producing solar power at our plant to reduce carbon footprints.



Conserving water by recycling 100% water waste.



100% recycling manufacturing waste.



Substantially using natural gas to keep the environment clean.

INDEX

400x400 MM (RECTIFICADO)

PLAIN	
BLANCO NIEVE	06
CREMA	06
PRINTED	
JONICA BEIGE	06
LEO BEIGE	06
LEO GREY	06
LIMONI BEIGE	06
LIMONI GREY	06
MEXICO BEIGE	06
SPL. PRINTED	
BIKANER BROWN	07
MONTREAL CREMA	07
TAPIA BROWN	07
TERRA COPPER	07
TERRA COTTO	07
TERRA CREMA	07
TERRA GREY	07
TERRA MARFIL	07
VENATTO FUSION	07
VENATTO RUST	07
TOURMALINE	
TOURMALINE GRIS	08
TOURMALINE COTTO	08
TOURMALINE BEIGE	08
NALAGARH SPECIAL	
NALAGARH AQUA MIX	08
NALAGARH COTTO MIX	08
NALAGARH COBALT BLUE MIX	08
NALAGARH GOLD MIX	08

400x400 MM (DUROCK)

ARC MARBLE BROWN	14
ARC BEIGE	14
ARC CREMA	14
ARC DARK GREY	14
ARC EARTH BROWN	14
ARC LIGHT GREY	14
ARC MARBLE GREY	14
ARC NATURAL	14
ARTISTIC BROWN	14
ARTISTIC GREY	14
BIRCH WOOD FUSION	14
BIRCH WOOD GRIS	15
BIRCH WOOD NATURAL	15
BIRCH WOOD SILVER	14
BOSCO WOOD BLUE	15
BOSCO WOOD NATURAL	15
COBBLE AZUL	15
COBBLE BLANCO	15
CONCRETE COPPER	15
CONCRETE GRASS	15
CONCRETE GREY	15
CONCRETE GRIS	15
CONCRETE NERO	15
CONCRETE WOOD	15
DIAMOND WOOD GRIS	16
ELITE NERO	16
ESTOILE BEIGE	16
ESTOILE GREY	16
ESTOILE VERDE	16
GALAXY BEIGE	16
GALAXY GREY	16
GALLERIA FUSION	16
GALLERIA GREY	16
HORIZON BEIGE	16
HORIZON BROWN	16
KENSTONE BROWN	18
MONGOLIA BEIGE	18
MONGOLIA BROWN	18
MOSAICO GRIS	18
MOSAICO MIST	18
NAVEDA SLATE	18
NEMO BROWN	18
NEMO GRIS	18
PATIO BEIGE	19
PATIO BROWN	19
PATIO GREY	19
PATIO NATURAL	19
PAVE BEIGE	18
PAVEMENT BEIGE	19
PAVEMENT BROWN	19
PAVEMENT GRIS	19
PEBBLE GREY	20
PEBBLO CAFÉ	19
PEBBLO GRASS	19
PEBBLO GRIS	19
PEDRA GRIS	20
PEDRA NATURAL	20
PEDRA RUST	20
PEDRA TAUPE	20

PLAZIO CAFÉ	19
PRISM STONE	19
RETRO BEIGE	21
RETRO FUSION	21
RIVERA BEIGE	10
RIVERA BLACK	10
RIVERA BLUE	10
RIVERA BROWN	10
RIVERA CREMA	10
RIVERA DARK GREY	10
RIVERA GREEN	10
RIVERA GREY	10
RIVERA MEDITERIAN	10
RIVERA PINK	10
RIVERA SALT BEIGE	13
RIVERA SALT BLACK	13
RIVERA SALT BROWN	13
RIVERA SALT DARK GREY	13
RIVERA SALT GREY	13
RIVERA SALT WHITE	13
RIVERA WHITE	10
SLATE STONE AZUL	21
SLATE STONE COPPER	21
SLATE STONE GRIS	21
SLATE STONE OCRE	21
SLATE STONE RUST	21
SPLENDOR GREY	21
SPLENDOR LATTE	21
STONE GRASS	22
STONE RUST BROWN	21
STONE RUST COPPER	22
STONE RUST GRIS	21
STONE RUST OLIVA	21
TARMAC BIANCO	22
TARMAC GRIS	22
THUNDER BEIGE	22
THUNDER GREY	22
THUNDER OXIDE	22
TWIN NEMO	18
URBAN FUSION	22
URBAN GRIS	22
URBAN TAUPE	22
VICTORIA FUSION	22
DECOR	
GALAXY GREY DECOR	16
MONGOLIA DÉCOR	18
NAVEDA SLATE DECOR	18
PEDRA NATURAL DECOR	20

300x300 MM (PREMIUM)

ARIZONA CREMA	24
ARIZONA GREY	24
URBAN BEIGE	24
URBAN CREMA	24

300x300 MM (PRINTED)

ALICANTE BLUE	25
ALICANTE GREY	25
ALICANTE PINK	25
ALICANTE VERDE	25
ARCADIA BROWN	25
ASSAM OAK	25
ASSAM PINE	25
ASSAM WALNUT	25
DIAMOND BLUE	25
DIAMOND COTTO	25
DIAMOND PINK	25
DIAMOND VERDE	25
FLANDIS WOOD	25
FOREST BEIGE	25
FOREST BROWN	25
GRANILIA ALMANDO	25
GRANILIA BEIGE	25
GRANILIA BLANCO	25
GRANILIA BROWN	25
GRANILIA COBALT BLUE	26
GRANILIA CREMA	26
GRANILIA GREY	26
GRANILIA PINK	26
GRANILIA VERDE	26
MOSAIC BLUE	27
MOSAIC GREY	27
NATURAL PINE	26
NATURAL TEAK	26
PASSION WOOD	26
PRISM RUST	26
QUADRO BEIGE	26
QUADRO BROWN	26
ROCK WOOD	26
SEA ROCK BEIGE	26
SEA ROCK CREMA	26
SEA ROCK GREY	26
SEA ROCK NERO	26
SOLARIS BLUE	26
SYDNEY BEIGE	26
SYDNEY BLUE	26
SYDNEY BROWN	26
SYDNEY GREY	27
SYDNEY PINK	27

300x300 MM (PLAIN)

BLANCO NIEVE	27
CREMA	27
BROWN MEDITTERINO	27

300x300 MM (DIGITAL PAVIGRES)

ARTIZE COPPER	28
ARTIZE FUSION	28
ARTIZE GRIS	28
COBLE STONE	28
DIAMOND SOLITAIRE	28
DUNA FUSION STRATO	28
DUNA NERO STRATO	28
HAITI FUSION	28
HAITI GRIS	28
INFINITY FUSION	28
JAZZ CEMENT	28
JAZZ COPPER	28
JAZZ FUSION	28
JAZZ GRIS	28
JAZZ NATURAL	28
JAZZ NERO	28
MIDAS COTTO	28
MIDAS GRIS	28
NEO STONE AZUL	28
NEO STONE COPPER	28
NYLE FUSION	29
NYLE MARFIL	29
PADAUK BEIGE	29
PADAUK BROWN	29
PANORAMA CEMENT	29
PANORAMA COTTO	29
PANORAMA FUSION	29
PANORAMA GRIS	29
PANORAMA MARFIL	29
PARQUET CHERRY	29
PARQUET GRIS	29
PARQUET NATURAL	29
PEPPER MARFIL	29
PEPPER NERO	29
PEPPER RUST	29
POLKA CUBES	29
RIVER STONE COPPER	29
RIVER STONE COTTO	29
ROCK GRIS	29
ROCK NERO	29
SPECTRA AZUL	30
SPECTRA COTTO	30
SPECTRA FUSION	30
SPECTRA MARFIL	30
SPECTRA NATURAL	30
STARLET GRIS	30
STONEX GRIS	30
TREND GRIS	30
TREND TAUPE	30
VECTOR COPPER	30
VECTOR NERO	30
VISTARA GRIS	30

STEP

ASPEN WENGÉ STEP-N	30
BULGARIA MARFIL STEP-N	30
MORINGA BROWN STEP-N	30
RIVER SAND STEP-N	30
SPACE GREY STEP	31

RISER

ASPEN WENGÉ RISER	30
BULGARIA MARFIL RISER	30
MORINGA BROWN RISER	30
RIVER SAND RISER	30
SPACE GREY RISER	31

300x300 MM (PAVIGRES)

SERIE CUBIX

CUBIX IVORY	32
CUBIX TERRACOTTA	32

SERIE DELTA

DELTA IVORY	32
DELTA TERRACOTTA	32

SERIE NEXUS

NEXUS IVORY	32
NEXUS TERRACOTTA	32

SERIE PENTA

PENTA IVORY	32
PENTA TERRACOTTA	32

SERIE PLAIN

IVORY	32
TERRACOTTA	32

SERIE ROVER

ROVER IVORY	32
ROVER TERRACOTTA	32

SERIE POLKA

POLKA IVORY	32
POLKA TERRACOTTA	32

SERIE SIGMA

SIGMA IVORY	32
SIGMA TERRACOTTA	32

SERIE RUBY

RUBY IVORY	32
RUBY TERRACOTTA	32

SERIE SPECTRUM

SPECTRUM IVORY	33
SPECTRUM TERRACOTTA	33

SERIE STRIPES

STRIPES IVORY	32
STRIPES TERRACOTTA	32

SERIE WAVES

WAVES IVORY	33
WAVES TERRACOTTA	33

SERIE STRIDE

STRIDE IVORY	33
STRIDE TERRACOTTA	33

SERIE STARLET

STARLET IVORY	33
STARLET TERRACOTTA	33






400x400mm


RECTIFICADO

MATT

PLAIN



BLANCO NIEVE




CREMA


PRINTED




JONICA BEIGE



LEO BEIGE



LEO GREY



LIMONI BEIGE



LIMONI GREY



MEXICO BEIGE

SPL. PRINTED



BIKANER BROWN S



MONTREAL CREMA G



TERRA CREMA M



TERRA GREY M



TERRA MARFIL M



TERRA COPPER M




TERRA COTTO M

DIGITAL PRINTED



TAPIA BROWN M



VENATTO FUSION M



VENATTO RUST M

400x400mm

RECTIFICADO

MATT


TOURMALINE



TOURMALINE BEIGE R



TOURMALINE COTTO R



TOURMALINE GRIS R

NALAGARH SPECIAL



NALAGARH AQUA MIX R



NALAGARH COBALT BLUE MIX R



NALAGARH GOLD MIX R



NALAGARH COTTO MIX R



FLOOR : TOURMALINE BEIGE

400x400mm

DuROCK



MATT

CROMA SERIES




RIVERA BEIGE




RIVERA CREMA



RIVERA DARK GREY



RIVERA GREY




RIVERA GREEN



RIVERA PINK




RIVERA MEDITERIAN



RIVERA WHITE


CROMA SPECIAL



RIVERA BLACK *



RIVERA BLUE *



RIVERA BROWN *



FLOOR : RIVERA GREY




400x400mm

DuROCK




MATT


GRANO SERIES



RIVERA SALT DARK GREY



RIVERA SALT GREY




RIVERA SALT BROWN




RIVERA SALT BEIGE

GRANO SPECIAL



RIVERA SALT WHITE *



RIVERA SALT BLACK *

* SPECIAL COLORS

400x400mm

DuROCK




MATT



ARC BEIGE



ARC CREMA



ARC DARK GREY



ARC EARTH BROWN



ARC LIGHT GREY



ARC MARBLE BROWN



ARC MARBLE GREY



ARC NATURAL




ARTISTIC BROWN



ARTISTIC GREY



BIRCH WOOD SILVER



BIRCH WOOD FUSION



BIRCH WOOD GRIS



BIRCH WOOD NATURAL



BOSCO WOOD BLUO



BOSCO WOOD NATURAL



COBBLE AZUL




COBBLE BLANCO




CONCRETE COPPER



CONCRETE GRASS



CONCRETE GREY



CONCRETE GRIS



CONCRETE NERO




CONCRETE WOOD

400x400mm

DuROCK



MATT



DIAMOND WOOD GRIS



ELITE NERO



ESTOILE VERDE



ESTOILE GREY



ESTOILE BEIGE



GALAXY BEIGE

R



GALAXY GREY

R



GALAXY GREY DECOR



GALLERIA GREY



GALLERIA FUSION



HORIZON BEIGE



HORIZON BROWN



FLOOR : GALAXY GREY & GALAXY GREY DECOR

400x400mm


DuROCK




MATT



KENSTONE BROWN



MOSAICO GRIS



MOSAICO MIST



MONGOLIA BEIGE



MONGOLIA BROWN



MONGOLIA DÉCOR



NAVEDA SLATE


R



NAVEDA SLATE DÉCOR



NEMO BROWN



NEMO GRIS



TWIN NEMO



PAVE BEIGE



PATIO GREY



PATIO NATURAL



PATIO BEIGE



PATIO BROWN




PAVEMENT BEIGE



PAVEMENT BROWN



PAVEMENT GRIS



PEBBLO CAFÉ



PEBBLO GRASS



PEBBLO GRIS



PLAZIO CAFÉ



PRISM STONE

400x400mm

DuROCK



MATT



PEDRA GRIS

R



PEDRA NATURAL

R



PEDRA NATURAL DECOR



PEDRA RUST

R



PEDRA TAUPE

R



PEBBLE GREY



FLOOR : PEDRA NATURAL & PEDRA NATURAL DECOR



RETRO BEIGE



RETRO FUSION




SLATE STONE AZUL



SLATE STONE COPPER



SLATE STONE OCRE



SLATE STONE RUST



SLATE STONE GRIS



SPLENDOR GREY



SPLENDOR LATTE



STONE RUST BROWN



STONE RUST GRIS



STONE RUST OLIVA

400x400mm


DuROCK



MATT



STONE RUST COPPER



STONE GRASS



TARMAC BIANCO



TARMAC GRIS



THUNDER BEIGE

R




THUNDER GREY

R



THUNDER OXIDE

R




URBAN FUSION



URBAN GRIS



URBAN TAUPE



VICTORIA FUSION



300x300mm

PREMIUM

MATT



ARIZONA CREMA



ARIZONA GREY



URBAN BEIGE



URBAN CREMA



FLOOR : URBAN BEIGE

300x300mm

PRINTED

MATT




ALICANTE BLUE



ALICANTE GREY



ALICANTE PINK



ALICANTE VERDE




ARCADIA BROWN



ASSAM OAK




ASSAM PINE



ASSAM WALNUT



DIAMOND BLUE




DIAMOND COTTO



DIAMOND VERDE



DIAMOND PINK



FLANDIS WOOD




FOREST BEIGE




FOREST BROWN




GRANILIA ALMANDO



GRANILIA BEIGE



GRANILIA BLANCO



GRANILIA BROWN


300x300mm

PRINTED

MATT



GRANILIA COBALT BLUE



GRANILIA CREMA



GRANILIA GREY



GRANILIA PINK



GRANILIA VERDE



NATURAL PINE



NATURAL TEAK



PASSION WOOD



PRISM RUST



ROCK WOOD



QUADRO BEIGE



QUADRO BROWN



SEA ROCK GREY



SEA ROCK NERO *



SEA ROCK CREMA




SEA ROCK BEIGE



SOLARIS BLUE



SYDNEY BROWN



SYDNEY BEIGE




SYDNEY BLUE




SYDNEY GREY



SYDNEY PINK




MOSAIC BLUE




MOSAIC GREY


PLAIN



BLANCO NIEVE



BROWN MEDITERRINO



CREMA



FLOOR : BROWN MEDITERRINO

300x300mm

Digital PAVIGRES

MATT



ARTIZE COPPER



ARTIZE FUSION




ARTIZE GRIS



COBLE STONE



DIAMOND SOLITAIRE



DUNA FUSION STRATO



DUNA NERO STRATO



HAITI FUSION



HAITI GRIS




INFINITY FUSION



JAZZ CEMENT



JAZZ COPPER



JAZZ FUSION



JAZZ GRIS



JAZZ NATURAL



JAZZ NERO



MIDAS COTTO



MIDAS GRIS



NEO STONE COPPER



NEO STONE AZUL



NYLE MARFIL



NYLE FUSION




PANORAMA CEMENT



PANORAMA COTTO



PANORAMA FUSION




PANORAMA GRIS




PANORAMA MARFIL



PARQUET GRIS



PARQUET NATURAL



PARQUET CHERRY



PADAUK BEIGE



PADAUK BROWN




PEPPER MARFIL




PEPPER NERO




PEPPER RUST



POLKA CUBES



RIVER STONE COPPER



RIVER STONE COTTO



ROCK NERO




ROCK GRIS

300x300mm

Digital PAVIGRES

MATT



SPECTRA AZUL



SPECTRA COTTO



SPECTRA FUSION



SPECTRA MARFIL



SPECTRA NATURAL



STARLET GRIS




STONEX GRIS




TREND GRIS




TREND TAUPE



VECTOR COPPER



VECTOR NERO



VISTARA GRIS


STEP & RISER




ASPEN WENG
RISER



ASPEN WENG
STEP




BULGARIA MARFIL
RISER



BULGARIA MARFIL
STEP




MORINGA BROWN
RISER



MORINGA BROWN
STEP



RIVER SAND
RISER



RIVER SAND
STEP



SPACE GREY



SPACE GREY

STEP




FLOOR : SPACE GREY

300x300mm

PAVIGRES

MATT

SERIE CUBIX



CUBIX IVORY




CUBIX TERRACOTTA

SERIE PENTA




PENTA IVORY




PENTA TERRACOTTA

SERIE DELTA



DELTA IVORY




DELTA TERRACOTTA

SERIE PLAIN




IVORY




TERRACOTTA

SERIE NEXUS



NEXUS IVORY



NEXUS TERRACOTTA

SERIE ROVER




ROVER IVORY




ROVER TERRACOTTA

SERIE POLKA




POLKA IVORY




POLKA TERRACOTTA

SERIE SIGMA




SIGMA IVORY




SIGMA TERRACOTTA

SERIE RUBY



RUBY IVORY



RUBY TERRACOTTA

SERIE STRIPES




STRIPES IVORY




STRIPES TERRACOTTA

SERIE SPECTRUM



SPECTRUM IVORY




SPECTRUM TERRACOTTA

SERIE WAVES



WAVES IVORY



WAVES TERRACOTTA

SERIE STRIDE



STRIDE IVORY



STRIDE TERRACOTTA

SERIE STARLET



STARLET IVORY



STARLET TERRACOTTA



FLOOR : ROVER IVORY

SPECIFICATIONS

FLOOR TILES

WORK SIZE		PIECES / BOX (NOS.)	COVERAGE / BOX (SQ. MTRS.)	WEIGHT / BOX (KGS.) (APPROX)	WEIGHT / SQ. MTR. (KGS.) (APPROX)
Dimensions (in mm)	Thickness (in mm)				
300x300 MM (Unrectified)-Normal / Digital	7.40	10	0.90	14.00	15.56
400x400 MM (Rectified) Normal / Digital	8.20	6	0.96	16.30	16.98

COMPARISON OF KAJARIA GRES TILES PARAMETERS TO INDIAN STANDARDS IS:15622:2017				
SR.No.	CHARACTERISTICS	IS:15622:2017	OUR VALUES	METHOD OF TESTING
1	Deviation in Length & Width	Unrectified - Max. $\pm$ 0.4% Rectified - Max. $\pm$ 0.1%	Unrectified - Max. $\pm$ 0.4% Rectified - Max. $\pm$ 0.1%	IS: 13630-1
2	Deviation in Thickness	Max. $\pm$ 5.0%	Max. $\pm$ 5.0%	IS: 13630-1
3	Deviation in Straightness of sides	Unrectified - Max. $\pm$ 0.3% Rectified - Max. $\pm$ 0.1%	Unrectified - Max. $\pm$ 0.3% Rectified - Max. $\pm$ 0.1%	IS: 13630-1
4	Deviation in Rectangularity	Unrectified - Max. $\pm$ 0.3% Rectified - Max. $\pm$ 0.1%	Unrectified - Max. $\pm$ 0.3% Rectified - Max. $\pm$ 0.1%	IS: 13630-1
5	Surface Flatness			
	a. Centre Curvature (max.)	Max. $\pm$ 0.5%	Max. $\pm$ 0.5%	IS: 13630-1
	b. Edge Curvature (max.)	Max. $\pm$ 0.5%	Max. $\pm$ 0.5%	IS: 13630-1
	c. Corner Warpage (max.)	Max. $\pm$ 0.5%	Max. $\pm$ 0.5%	IS: 13630-1
6	Surface Quality	Min. 95% free from visible defects.	Min. 95% free from visible defects.	IS: 13630-1
7	Water Absorption	Avg. $3 < E \leq 6\%$ Individual, 6.2% Max.	Avg. $3 < E \leq 6\%$ Individual, 6.2% Max.	IS: 13630-2
8	Scratch Hardness (Moh's Scale)	4, Min	4, Min	IS: 13630-13
9	Abrasion Resistance	Class II, Min.	As per the abrasion class indicated in catalogue	IS: 13630-11
10	Crazing Resistance	4 Cycle at 7.5 bar min	4 Cycle at 7.5 bar min	IS: 13630-9
11	Modulus of Rupture N/mm ²	Avg. 22, Individual, 20 Min.	Avg. 22, Individual, 20 Min.	IS: 13630-6
12	Chemical Resistance	Required, if agreed	Resistant to all acids and alkalies (except hydrofluoric acid and its compounds)	IS: 13630-8
13	Thermal Shock	Min. 10 cycles	Min. 10 cycles	IS: 13630-5
14	Resistant to Household Chemicals	Class AA, min	Class AA, min	IS: 13630-8
15	Resistance to Staining	Class 1, min	Class 1, min	IS: 13630-8

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

SPECIFICATIONS

DUROCK - OUTDOOR FLOOR TILES

WORK SIZE		COVERAGE / BOX (SQ. MTRS.)	PIECES / BOX (NOS.)	WEIGHT / BOX (KGS.) (APPROX)
Dimensions (in mm)	Thickness (in mm)			
400x400 MM	11.50	0.80	5 pcs.	19.30

COMPARISON OF KAJARIA GRES TILES PARAMETERS TO INTERNATIONAL STANDARDS BIB - ISO-13006:2018-09					
SR.No.	CHARACTERISTICS	GROUP BIB-ISO 13006:2018-09		OUR VALUES	METHOD OF TESTING
		NOMINAL SIZE (N) N≥15 CM			
		WHICHEVER IS LESS IS APPLICABLE			
		%	mm		
1	Deviation in Length & Width	±0.3	±1.0	±1.0	ISO-10545-2
2	Deviation in Thickness	±5.0	±0.5	±0.5	ISO-10545-2
3	Deviation in Straightness of sides	±0.3	±0.8	±0.8	ISO-10545-2
4	Deviation in Rectangularity	±0.3	±1.5	±0.3	ISO-10545-2
5	Surface Flatness				
	a. Centre Curvature (max.)	±0.4	±1.8	±0.4	ISO-10545-2
	b. Edge Curvature (max.)	±0.4	±1.8	±0.4	ISO-10545-2
	c. Corner Warpage (max.)	±0.4	±1.8	±0.4	ISO-10545-2
6	Surface Quality	A min. 95% of the tiles are to be free from visible defects		A min. 95% of the tiles are to be free from visible defects	ISO-10545-2
7	Water Absorption	0.5% < Eb ≤ 3.0% Ind. Max. 3.3%		2.50%	ISO-10545-3
8	Abrasion Resistance	Report abrasion class and cycles passed		PEI class 3 min.	ISO-10545-7
9	Modulus of Rupture N/mm²	Min. 30, Individual min. 27		Min. 30, Individual min. 27	ISO-10545-4
10	Breaking Strength (in Newtons)	a. Thickness ≥ 7.5 mm, not less than 1100 b. Thickness < 7.5 mm, not less than 700		Thickness ≥ 7.5 mm, not less than 1100	ISO-10545-4
11	Crazing Resistance	Required		4 cycle at 7.5 bar min.	ISO-10545-11
12	Resistance to Staining	Min. class 3		Min. class 3	ISO-10545-14
13	Resistance to Chemical	Test method available		Resistant to specified chemicals	ISO-10545-13
14	Moisture Expansion in millimetres per metre	Test method available		Negligible	ISO-10545-10
15	Thermal Shock Resistance	Test method available		No damage	ISO-10545-9

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

SPECIFICATIONS

DIGITAL PAVIGRES

Vitrified Heavy Duty Digital - Paving Tiles

WORK SIZE		PIECES / BOX (NOS.)	COVERAGE / BOX (SQ. MTRS.)	WEIGHT / BOX (KGS.) (APPROX)	WEIGHT / SQ. MTR. (KGS.) (APPROX)
Dimensions (in mm)	Thickness (in mm)				
300x300 MM	9.50	8	0.72	14.50	20.14

COMPARISON OF KAJARIA GRES TILES PARAMETERS TO INTERNATIONAL STANDARDS Bla ISO-13006:2018-9				
SR.No.	CHARACTERISTICS	ISO-13006:2018-9	OUR VALUES	METHOD OF TESTING
1	Deviation in Length & Width	Max.±0.3 %	Max.±0.3 %	ISO-10545-2
2	Deviation in Thickness	Max.±5 %	Max.±5 %	ISO-10545-2
3	Straightness of Sides	Max.±0.3 %	Max.±0.3 %	ISO-10545-2
4	Rectangularity	Max.±0.3 %	Max.±0.3 %	ISO-10545-2
5	Surface Flatness (%)			
	a. Centre Curvature (max.)	Max.±0.4 %	Max.±0.4 %	ISO-10545-2
	b. Edge Curvature (max.)	Max.±0.4 %	Max.±0.4 %	ISO-10545-2
	c. Corner Warpage (max.)	Max.±0.4 %	Max.±0.4 %	ISO-10545-2
6	Surface Quality	Min. 95% free from visible defects.	Min. 95% free from visible defects.	ISO-10545-2
7	Water Absorption	E ≤ 0.5% Individual, Max 0.6 %	E ≤ 0.5% Individual, Max 0.6 %	ISO-10545-3
8	Breaking Strength (N)	a. Thickness ≥ 7.5 mm, not less than 1300 b. Thickness < 7.5 mm, not less than 700	Thickness ≥ 7.5 mm, not less than 1300	ISO-10545-4
9	Modulus of Rupture N/mm ²	Min. 35, Individual, min 32	Min. 35, Individual, min 32	ISO-10545-4
10	Resistance to Surface Abrasion	Report abrasion class and cycles passed	As per the abrasion class indicated in catalogue	ISO-10545-7
11	Crazing Resistance	Required	4 cycle at 7.5 bar min.	ISO-10545-11
12	Resistance to staining	Min class 3	Min class 3	ISO-10545-14
13	Resistance to chemicals	Test method available	Resistant to specified chemicals	ISO-10545-13
14	Moisture Expansion in millimetres per metre	Test method available	Negligible	ISO-10545-10
15	Thermal Shock Resistance	Test method available	No damage	ISO-10545-9

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

SPECIFICATIONS

PAVIGRES

Vitrified Heavy Duty Full Body - Paving Tiles

WORK SIZE		PIECES / BOX (NOS.)	COVERAGE / BOX (SQ. MTRS.)	WEIGHT / BOX (KGS.) (APPROX)	WEIGHT / SQ. MTR. (KGS.) (APPROX)
Dimensions (in mm)	Thickness (in mm)				
300x300 MM	9.50	8	0.72	14.40	20.00

COMPARISON OF KAJARIA GRES TILES PARAMETERS TO INDIAN STANDARDS IS:4457:2007				
SR.No.	CHARACTERISTICS	IS:4457:2007	OUR VALUES	METHOD OF TEST, REF TO ANNEX
1	Deviation in Length & Width (From Work Size)	±0.6%	±0.1%	Annex - B
2	Deviation in Thickness	±5%	±5%	Annex - B
3	Straightness of Sides (Facial)	±0.2%	±0.2%	Annex - B
4	Rectangularity	±0.2%	±0.2%	Annex - B
5	Surface Flatness (%)			
	a. Centre Curvature (max.)	±0.3%	±0.3%	Annex - B
	b. Edge Curvature (max.)	±0.3%	±0.3%	Annex - B
	c. Corner Warpage (max.)	±0.3%	±0.3%	Annex - B
6	Surface Quality	Min. 95% free from visible defects.	Min. 95% free from visible defects.	Annex - B
7	Water Absorption (By Weight)	Average < 0.5% Individual 0.6 max	Average < 0.5% Individual 0.6 max	Annex - C
8	Breaking Strength (N)	1300 Min.	1300 Min.	Annex - D
9	Modulus of Rupture N/mm ²	Average 35, Individual, min 32	Average 35, Individual, min 32	Annex - D
10	Deep Abrasion Resistance (mm ³)	175 Max.	175 Max.	Annex - E
11	Chemical Resistance			
	Resistance to Chemicals	Required as agreed between manufacturer and Purchaser	Required as agreed between manufacturer and Purchaser	Annex - F
	Resistance to concentrated HNO ₃ and H ₂ SO ₄	Loss in Mass 1.5% max.	Loss in Mass 1.5% max.	Annex - G

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.



India's Trusted Tile

EXPERIENCE CENTRES / REGIONAL OFFICE

NORTH

CHANDIGARH :

SCO 17, 1st Floor ,
Sector-7C , Madhya Marg, Chandigarh.
Phones : 0172-4631418, 4631415
E-mail : chandigarh@kajariagres.com

DEHRADUN :

485, Dharampur, Haridwar Road, Dehradun
Phone : 0135-2675329
Mob. : 9760044701
E-mail : dehradun@kajariagres.com

JAIPUR :

Ground Floor, Nidhi Kamal Tower,
Plot No 37-38 B, Barwara House,
Ajmer Road, Jaipur - 302006, Rajasthan
Phone : 0141-4910941, 2220244
E-mail : jaipur@kajariagres.com

JAMMU :

Marble Market, Near Samsung Plaza,
Satyam Road Trikuta Nagar,
Jammu - 180012, Jammu and Kashmir
Mob. : 7827993481,
Phone : 0191-7966728
E-mail : jammu@kajariagres.com

LUCKNOW

Plot No.146, 2nd Floor, Above Kalyan Jewellers,
Adj. Ghajipur Police Station,
Near Bhootnath Metro Station, Faizabad Road,
Lucknow (UP) - 226016
Phone : 0522-4029181, Mob. : 9870109404
E-mail : lucknow@kajariagres.com

VARANASI :

678/1, Circuit House Road,
Near Dressland Showroom,
Sikraul, Bhojubeer, Varanasi - 221002
Phone : 0542-2500483
Mob. : 9005092402
E-mail : varanasi@kajariagres.com

EAST

PATNA (Regional Office)

'ANCHAL', House No.-15, Ground Floor
Justice Narayan Path, Nageswar Colony
Patna - 800001, Bihar
Mob. : 9334791993
E-mail : patna@kajariagres.com

KOLKATA (Regional Office)

Tirupati Plaza, 2nd Floor 74/2,
Acharya Jagdish chandra Bose Road,
Kolkata -700 016, West Bengal
E-mail : kolkata@kajariagres.com

CENTRAL

RAIPUR :

Shop No.: 507 & 508, 5th Floor,
Lalganga Business Park, NH-43,
Pachpedi Naka, Raipur, Chhattisgarh-492001
Mob: 9926897529, 8669665897, 7714060427
E: raipur@kajariagres.com

INDORE (Regional Office)

S.A. Tower, 1st Floor, 13/3 New Palasia,
Opp. Arya Samaj Building,
Indore - 452001, Madhya Pradesh
Phone : 0731- 4068839, Mob. : 9752593462
E-mail : indore@kajariagres.com

***Kajaria* GRÈS**

India's Trusted Tile

Kajaria **GRÈS**

India's Trusted Tile

Kajaria Ceramics Limited

Corporate Office: J1/B1 (Extn.), Mohan Co - op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: 011-26946409

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.:0124-4081281

CIN No. : L26924HR1985PLC056150, Web.: www.kajariagres.com, Toll Free : 1800 120 100

follow us on :   