

Kajaria

GRÈS  TOUGH

NEW *Arrivals* 2025

SEE WHAT'S NEW



1200X1800 MM

HIGH STRENGTH DIGITAL FLOOR TILES | SOUTH & WEST

GRÈS  **TOUGH**

TOUGH MEETS BEAUTIFUL



Kajaria



High-strength digital floor tiles.



Suitable for indoor and outdoor use; resistant to water and fire.



Super flat surface with precise dimensions and warpage control.



Robust and Resilient, can endure challenging conditions over time.



Timeless designs inspired by stone, marble and wood.



Available in various sizes, designs and finishes for all budgets.



Meets the highest quality standards.



High durability and functionality make our tiles ideal for extensive use & versatile applications.



Perfect for floor applications



Perfect for wall applications



Easy to Install



Eco-Friendly

A mix of finishes to make
every space Luxurious



Exquisitely finished surfaces, carefully
Crafted to foster immersive and luxurious
Interior settings




HD-POLISH

Polished glossy tiles that are reflective, stain-resistant, low-maintenance, and premium surfaces.




MATT FINISH

Non-polished glaze tiles, randomly textured, non-reflective, scratch-resistant, and low-abrasion surfaces



HIGH-GLOSS

Mirror-like reflections are visible in the design. Depth and sharpness in printing provide rich and extremely reflective gloss visibility.




CARVING

With scattered carvings randomly distributed across, resulting in a partially glossy and matte appearance.



DEAD MATT

Dead matt, non-reflective smooth surface with textured veins crafted using transparent yet shiny ink, which becomes reflective at certain angles.




DRY GRANULA

Granular textured surface with a touch and feel similar to a jute carpet, providing added grip while remaining soft and easy to clean



DIGI MATT

Full digital application tile with no top glaze. Transparent and shiny printing ink is used to create a depth-like effect on the smooth surface



MARBLE FINISH

Appearance of used Italian marble flooring, featuring a granula, soft, & smooth, non textured surface that doesn't show any fingerprint marks.



Applications




RESIDENTIAL



SHOPS



RESTAURANT



GARDEN & POOL



MALLS



HOSPITALS



HOTELS



PUBLIC SPACES



TRAIN STATION



OFFICE



AIRPORTS




TERRACE

SERIE ELEGANT

Ambrosia Gris	12
Augusta Wine	12
Basalt Verde	13
Café Latte	13
Derby Rosso	14
Emilia Bianca	14
Faro Verde	15
Fiesta Marfil	15
Florence Silver	16
Genoa Crema	16
Ionica Rosso	18
Linosa Mist	18
Lolo Marfil	19
Lyon Gris	19
Polar White	20
Marina Bianca	20
Parco Gris	21
Sassuolo Crema	22
Sassuolo Marfil	22
Siena Beige	24
Siena Crema	24
Triana Crema	25
Victoria Bianca	25

SERIE ELECTRA

Alpine Emerald	26
Crystal Gold	26
Earlin Marron	28
Hermes Marron	28



SERIE MATT

Ayena Gris Matt	30
Candy Clay Matt	30
Chiba Brown Matt	31
Chiba Cement Matt	31
Kobe Gris Matt	32
Kobe Mist Matt	32
Lolo Marfil Matt	34
Parma Marfil Matt	34
Naara Gris Matt	35
Naara Taupe Matt	35
Sable Bianca Matt	36
Turkey Marble Matt	36

SERIE GLITZ

Busan Gris	38
Busan Silver	38
Kyron Mist	39
Ulsan Brown	40
Ulsan Marfil	40

SERIE DURA

Choa Mist	42
Darwin Mist	42
Pluto Rust	45
Tapa Gris	45

SERIE NATURALE

Milton Rosso	46
Nyka Marfil	46
Oolong Sky	48
Tahiti Bianca	48



SERIE SPARKLE

Brunei White	52
Ebony White	52
Raven White	53

SERIE LUXE

Canberra Beige	54
Davinci Bianca	54
Waga Marfil	56
Waga Mist	56








1200X
1800MM | SERIE ELEGANT
HD-POLISH



AMBROSIA GRIS



AUGUSTA WINE




BASALT VERDE




CAFÉ LATTE

1200X | SERIE ELEGANT
1800MM | HD-POLISH



DERBY ROSSO



EMILIA BIANCA




FARO VERDE




FIESTA MARFIL

1200X
1800MM | SERIE ELEGANT
HD-POLISH




FLORENCE SILVER




GENOA CREMA




1200X | SERIE ELEGANT
1800MM | HD-POLISH



IONICA ROSSO



LINOSA MIST




LOLO MARFIL




LYON GRIS

1200X
1800MM

SERIE ELEGANT
HD-POLISH



POLAR WHITE




MARINA BIANCA



PARCO GRIS



1200X | SERIE ELEGANT
1800MM | HD-POLISH



SASSUOLO CREMA



SASSUOLO MARFIL



1200X
1800MM | SERIE ELEGANT
HD-POLISH




SIENA BEIGE



SIENA CREMA




TRIANA CREMA




VICTORIA BIANCA

1200X | SERIE ELECTRA
1800MM | HIGH-GLOSS




ALPINE EMERALD




CRYSTAL GOLD



1200X | SERIE ELECTRA
1800MM | HIGH-GLOSS



EARLIN MARRON



HERMES MARRON



1200X | SERIE MATT
1800MM | MATT



AYENA GRIS MATT



CANDY CLAY MATT



CHIBA BROWN MATT



CHIBA CEMENT MATT

1200X | SERIE MATT
1800MM | MATT




KOBE GRIS MATT




KOBE MIST MATT



1200X | SERIE MATT
1800MM | MATT



LOLO MARFIL MATT



PARMA MARFIL MATT




NAARA GRIS MATT




NAARA TAUPE MATT

1200X | SERIE MATT
1800MM | MATT



SABLE BIANCA MATT



TURKEY MARBLE MATT



1200X
1800MM | SERIE GLITZ
PEARL



BUSAN GRIS



BUSAN SILVER



KYRON MIST



1200X
1800MM

SERIE GLITZ
PEARL



ULSAN BROWN



ULSAN MARFIL



1200X
1800MM | SERIE DURA
DRY GRANULA



CHOA MIST




DARWIN MIST





1200X
1800MM | SERIE DURA
DRY GRANULA

GRÈS  TOUGH




PLUTO RUST



TAPA GRIS

1200X | SERIE NATURALE
1800MM | MARBLE



MILTON ROSSO




NYKA MARFIL



1200X | SERIE NATURALE
1800MM | MARBLE



OOLONG SKY



TAHITI BIANCA







1200X
1800MM

SERIE SPARKLE
SUPER WHITE HD POLISH



BRUNEI WHITE




EBONY WHITE




RAVEN WHITE

1200X
1800MM | SERIE LUXE
DIGI MATT



CANBERA BEIGE



DAVINCI BIANCA



1200X | SERIE LUXE
1800MM | DIGI MATT



WAGA MARFIL



WAGA MIST



Your Ultimate Choice for Tile Perfection

Advantages

WATER RESISTANT

IMPROVED EFFLORESCENCE CONTROL

SMOOTH FINISH

WEATHER RESISTANT

EASY MAINTENANCE

NON-SHRINKING

NON CRACKING

EASY APPLICATION AND CLEAN UP

Shades Available

SUPER WHITE

TAUPE

HUSK

SAND

CARDBOARD BROWN

METAL GOLD

TAN BROWN

COCOA

LIGHT GREY

STEEL GREY

DARK GREY

SKY BLUE

PEACH

PINK

TERRA RED

BLOOD RED

BLUE

DARK GREEN

BURGUNDY



RED BROWN

SHILL BLACK


JET BLACK

Tiling a wall or floor ?
Choose Gresbond, not Cement.

Old Cement Method



Gresbond Adhesives



Comparison

Properties	Sand/Cement	Gresbond Adhesive
Installations time	Time-consuming	Fast
Bed thickness	15-40 MM	2-6 MM
Water curing	Required	Not-required
Bond Strength	Hollowness behind the tile	100% Bond with tile & surface
Application on large tiles	No	Yes
External cladding	No	Yes
Tile on tile	No	Yes

Fast and Economical

GRESBOND Premium Tile adhesive can be easily applied over large areas with a notched trowel.

Easy to Work with

GRESBOND High-quality tile adhesives for wall application have good non-slump properties. The freshly laid tiles therefore do not slip on the wall. It is thus possible to lay the tiles from top to bottom without using spacers. This makes it easier to produce a uniform pattern.

Excellent Results

GRESBOND advanced premium adhesives are so easy to mix and install that good results are consistently achieved.

PREMIUM ADHESIVES, GROUTS & TILE CLEANER

INGREDIENTS FOR PERFECT RESULTS

CX-1

PREMIUM TILE ADHESIVE FOR CERAMIC FLOOR TILES

CX1 is a high-performance, grey cement-based, polymer-modified adhesive designed specifically for quick-setting ceramic floor tiles. Ideal for use on cement-based surfaces such as concrete and plaster, CX1 ensures a strong, long-lasting bond between tiles and the substrate. Its advanced formulation offers excellent adhesion & superior bonding.



VX-1

HIGH PERFORMANCE PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES & BATHROOM WALL TILES

VX-1 is polymer modified grey cement based tile adhesive specially designed for fixing all kinds of tiles including vitrified tiles, ceramic tiles and large format tiles on internal or external floor surface. Also suitable for bathroom wall tiles.



CX-2

WHITE

WHITE COLOR PREMIUM TILE ADHESIVE FOR CERAMIC FLOOR TILES

CX-2 is polymer modified white cement based tile adhesive meant for fixing ceramic floor tiles. White colour of CX-2 white protects light base tiles from discoloration along with strong bonding with the surface. Highly recommended for light base ceramic floor tiles



VX-2

WHITE

HIGH PERFORMANCE WHITE COLOR PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES, BATHROOM WALL TILES AND MARBLES

VX-2 is polymer modified white cement based tile adhesive protects light base tiles and marbles from discoloration along with strong bonding, suitable for all kinds of floor tiles which includes vitrified tiles, ceramic tiles, large format tiles & marble flooring.



VXX-1

GREY

HIGH PERFORMANCE GREY COLOR PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES, BATHROOM WALL TILES AND MARBLES

VXX-1 is a high-performance, polymer-modified grey tile adhesive designed for superior bonding. Ideal for all floor tiles, bathroom wall tiles, and marble, it ensures a durable and secure installation for both residential and commercial projects. Suitable for vitrified, ceramic, large-format tiles, and more, VXX-1 offers long-lasting aesthetics and reliable performance.



EX-5

WHITE / GREY

HEAVY DUTY PREMIUM TILE ADHESIVE FOR INTERIOR & EXTERIOR WALL & FLOOR TILES

EX-5 is a high strength adhesive. EX-5 is specially designed for heavy duty tile application, it has superior strength & ideal for all kind of tiles & Stones. It is also suitable for interior & exterior wall cladding tiles.

Fastening is recommended to install slabs / big size tiles over facade on high rise walls



CR-1 WHITE

PREMIUM TILE ADHESIVE FOR INTERIOR & EXTERIOR COOL ROOF FLOOR TILES

CR-1 is a highly polymer modified, high-performance thin-set adhesive, for tiles on a variety of surfaces, for horizontal application, in indoor as well as outdoor use, It's a dry mix ready to use mortar, only water to be added.



LX-7 WHITE / GREY

PREMIUM SPECIALIZED ADHESIVE FOR INSTALLATION OF LARGE FORMAT TILES AND STONES

LX-7 is highly polymerised, cement-based grey/white coloured adhesive. It has a chemical resistance properties and can be used in residential & commercial installations



NEW

KE-100 PREMIUM EPOXY GROUT

100% SOLID EPOXY GROUT

KE-100 is a Stain free Epoxy grout for floors & Walls. It is a colour fast, water & chemical resistant & 100% solid epoxy grout suitable for Ceramic tiles, Vitrified tiles, marbles and stones, especially in stain prone areas such as kitchens and washrooms (residential & commercial installations). Available in 22 colours. Suitable for joints between 2-12 mm. Available in 1Kg & 5Kg Pack.



KE-100 DUET TWO COMPONENTS PREMIUM EPOXY GROUT

NEW IMPROVED FORMULA WITH TWO COMPONENTS

GRESBOND KE-100 DUET is high performance Epoxy based two components tile grout. Easy to use and suitable for all wall and floor tiles, marble and natural stone. It has high chemical & abrasion resistant. It also produces hygienic joints that needs minimal maintenance in Kitchen & Bathroom areas. Available in 22 colours. Suitable for joints between 2-12 mm. Available in 1Kg & 5 Kg Pack.



PREMIUM UNSANDED GROUT

SUPERIOR QUALITY GROUT FOR CLEAN JOINTS

GRESBOND Premium Unsanded Grout is a superior quality grout. It consist of a carefully prepared blend of white cement, chemical additives and fillers. It is easy to install just mix with water/Grout Admix and use. It is ideal for both floors and walls applications. Available in 22 colours. Suitable for joints between 1-3 mm.



TC-1 TILE CLEANER

FAST ACTING CLEANER FOR ALL TYPES OF TILE SURFACE

GRESBOND Tile Cleaner TC-1 is a fast acting acid based cleaner for regular cleaning of dirt and stains on tile surface, designed for daily maintenance of tiles.



TECHNICAL SPECIFICATIONS

Work Size		Coverage/Box (Sq. Mtrs.)	No. of Tiles Per Box	Avg. Wt./Box (Kgs.)	Avg. Wt./Sq. Mtr. (Kgs.)
Dimensions (in mm)	Thickness (in mm)				
1200x1800mm	9.0	4.32	2	88.00 (Approx)	20.37

Comparison of Kajaria Tiles Parameters to International Standards Blb ISO-13006:2018-09					
S.No.	Characteristics	Group Blb-ISO 13006:2018-09 Nominal Size (N) N ≥ 15cm		Our Value	Method of Testing
		Whichever is less is applicable			
		%	MM		
1	Deviation in Length & width	± 0.3	± 1.0	± 1.0 mm	ISO - 10545-2
2	Deviation in Thickness	± 5.0	± 0.5	± 0.5 mm	ISO - 10545-2
3	Deviation in Straightness of sides	± 0.3	± 0.8	± 0.8 mm	ISO - 10545-2
4	Deviation in Rectangularity	± 0.3	± 1.5	± 1.5 mm	ISO - 10545-2
5	Surface Flatness				ISO - 10545-2
	a. Centre Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO - 10545-2
	b. Edge Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO - 10545-2
	c. Corner Warpage (max.)	± 0.4	± 1.8	± 1.8 mm	ISO - 10545-2
6	Surface Quality	A min. 95% of the tiles are to be free from visible defects		A min. 95% of the tiles are to be free from visible defects	ISO - 10545-2
7	Water Absorption	0.5% < Eb ≤ 3% Ind. Max. 3.3%		2.0 - 3.0 %	ISO - 10545-3
8	Abrasion Resistance	Report abrasion class and cycles passed		PEI class 3 min	ISO - 10545-7
9	Modulus of Rupture N/mm2	Min. 30, Individual Min. 27		Min. 30, Individual Min. 27	ISO - 10545-4
10	Breaking Strength (in Newtons)	a. Thickness ≥ 7.5 mm, not less than 1100 b. Thickness < 7.5 mm, not less than 700		Thickness ≥ 7.5 mm, not less than 1100	ISO - 10545-4
11	Crazing Resistance	Required		4 cycle at 7.5 bar min.	ISO - 10545-11
12	Resistance to staining	Min. Class 3		Min. Class 3	ISO - 10545-14
13	Resistance to Chemical	Test method available		Resistance to specified chemicals	ISO - 10545-13
14	Moisture Expansion in millimetres per metre	Test method available		Negligible	ISO - 10545-10
15	Thermal Shock Resistance	Test method available		No damage	ISO - 10545-9

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

SOUTH**BANGALORE :**

Farah Icon, 119 First Floor,
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore – 560 027, Karnataka
Phones : 080-41440019/20/30
Mob.: 9341237537

COCHIN :

MN Square, 2nd Floor, 549/2,
Near Gold Souk Grande
NH Bypass, Vyttila, Cochin- 19, Kerala
Phones : 0484-2912000
E-mail : coc@kajariaceramics.com

CHENNAI :

Fagun Chambers, Old No: 7,
New No: 26A/2, 1st Floor, Ethiraj Salai,
Egmore , Chennai - 600008, Tamil Nadu
Phones : 044-42691094/ 28264990
E-mail : chn@kajariaceramics.com

COIMBATORE :

1st Floor, 57, Cowley Brown Road,
Near Central Library, R.S.Puram ,
Coimbatore - 641002, Tamil Nadu
Phones : 0422-4350801/4350803
E-mail : coimbatore@kajariaceramics.com

HYDERABAD :

Uma Aishwarya House, H.No 8-2-502/1/AG,
Road No. 7, Banjara Hills,
Hyderabad - 500034, Telangana
Phone : 040-66106058, Mob.: 9000005392
E-mail : hyderabad@kajariaceramics.com

WEST**AHMEDABAD** (Regional Office)

City Centre-2, Office No-504,
5th Floor, Nr. Sukan Mall Cross Road,
Science City Road, Sola, Ahmedabad,
Gujarat - 380060
Mob.: 9724340881

MORBI :

Shop no 23, 4th Floor,
Satyam Commercial Complex,
Maliya Fatak Overbridge,
Morbi-Kandla National Highway,
Mahendra Nagar, Morbi, Gujarat - 363642
Mob.: 7046689961

MUMBAI :

B1 - 307, Boomerang, Chandivali Farm Road,
Near Chandivali Studio, Off Saki-vihar Road,
Andheri (E), Mumbai – 400072
Phone : 022-69433100
E-mail : mum@kajariaceramics.com

PUNE :

6th Floor, 601, DSK Gandharva Heights,
Ganeshkhind Road, Shivajinagar
Pune - 411005, Maharashtra
Phone: 020-6647 1600

Kajaria




INDIA'S NO. 1 TILE COMPANY

Kajaria Ceramics Limited

Corporate Office: J1/B1 (Extn.), Mohan Co - op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: +91-11-26946409, Fax: +91-11- 26946407

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.: +91-0124-4081281

CIN No. : L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web.: www.kajariaceramics.com

 facebook.com/KajariaCeramicsLimited  twitter.com/KajariaCeramic  instagram.com/kajaria.ceramics, Tollfree : 1800-309-309

Download Kajaria App  