Kajaria

GRÈS TOUGH



HIGH STRENGTH DIGITAL FLOOR TILES | SOUTH & WE

grès tough

TOUGH MEETS BEAUTIFUL



Kajaria



High-strength digital floor tiles.



Suitable for indoor and outdoor use; resistant to water and fire.



Super flat surface with precise dimensions and warpage control.



Robust and Resilient, can endure challenging conditions over time.



Timeless designs inspired by stone, marble and wood.



Available in various sizes, designs and finishes for all budgets.



Meets the highest quality standards.



High durability and functionality make our tiles ideal for extensive use & versatile applications.













Applications











RESIDENTIAL



SHOPS



RESTAURANT



GARDEN & POOL



MALLS



HOSPITALS



HOTELS



PUBLIC SPACES



TRAIN STATION



OFFICE



AIRPORTS



TERRACE

600X1200MM HD-POLISH / SPECIAL EFFECTS





CAMEROON MARFIL POLISH CAMEROON DÉCOR HD POLISH SHRINKER





DURBAN SMOKE POLISH DURBAN DÉCOR HD POLISH SHRINKER





LESOTHO GRIS POLISH LESOTHO DÉCOR HD POLISH SHRINKER





LUSAKA BIANCA POLISH LUSAKA DÉCOR HD POLISH SHRINKER



600X1200MM HD-POLISH / SPECIAL EFFECTS





NIASA GRIS POLISH NIASA DÉCOR HD POLISH SHRINKER





TRIPOLI MARFIL POLISH TRIPOLI DÉCOR HD POLISH SHRINKER



600X1200MM MATT / SPECIAL EFFECTS





ALFRED MIST MATT ALFRED DÉCOR MATT SHRINKER



ALFRED GRIS MATT





RUANDA CREMA MATT SHRINKER MATT SHRINKER





TORTUGA BIANCA MATT TORTUGA BIANCA DÉCOR LINEAR



600X1200MM HD-POLISH / MATT / SPECIAL EFFECTS





DOMINICA CREMA MATT DOMINICA CREMA DÉCOR LINEAR



DOMINICA CREMA POLISH






DOMINICA MIST MATT DOMINICA MIST DÉCOR LINEAR




DOMINICA MIST POLISH









MARS GRIS MATT MARS GRIS DÉCOR LINEAR



MARS GRIS POLISH





MARS MIST MATT MARS MIST DÉCOR LINEAR




MARS MIST POLISH

600X1200MM PRO SURFACE / SPECIAL EFFECTS







HI-DEPTH PUNCH- COMB







CAICOS MIST RIVER POLISH

BRANDON MARFIL







BRISTOL ALMOND PRO SURFACE BRISTOL ALMOND DÉCOR HI-DEPTH PUNCH- STRIP





BRISTOL CREMA PRO SURFACE BRISTOL CREMA DÉCOR HI-DEPTH PUNCH- STRIP





BRISTOL GRIS PRO SURFACE BRISTOL GRIS DÉCOR HI-DEPTH PUNCH- STRIP





CAYMAN BIANCA PRO SURFACE CAYMAN BIANCA DÉCOR HI-DEPTH PUNCH- STRIP






600X1200MM PRO SURFACE / SPECIAL EFFECTS









HI-DEPTH PUNCH- STRIP

HI-DEPTH PUNCH- STRIP









DACIA CREMA DÉCOR 2 PRO SURFACE DACIA CREMA DÉCOR 3 PRO SURFACE

PRO SURFACE DACIA CREMA DÉCOR

DACIA CREMA








DACIA CYAN PRO SURFACE DACIA CYAN DÉCOR





DACIA TEAL PRO SURFACE DACIA TEAL DÉCOR HI-DEPTH PUNCH- STRIP





DACIA WINE PRO SURFACE DACIA WINE DÉCOR HI-DEPTH PUNCH- STRIP



EXUMA BIANCA RIVER POLISH

600X1200MM PRO SURFACE / SPECIAL EFFECTS





GAGARIN NERO PRO SURFACE GAGARIN NERO DÉCOR HI-DEPTH PUNCH- TRIANGLE





HAITI BIANCA PRO SURFACE HAITI BIANCA DÉCOR HI-DEPTH PUNCH- STRIP





HARARE BEIGE HD POLISH SHRINKER HARARE DÉCOR HD POLISH SHRINKER



HARARE BROWN HD POLISH SHRINKER












HARBOUR MARFIL RIVER POLISH HARBOUR MIST RIVER POLISH





HAVANA BIANCA PRO SURFACE HAVANA BIANCA DÉCOR HI-DEPTH PUNCH- TRIANGLE






PILSEN GRIS PRO SURFACE PILSEN GRIS DÉCOR HI-DEPTH PUNCH- COMB





PILSEN PERLA PRO SURFACE PILSEN PERLA DÉCOR HI-DEPTH PUNCH- COMB

600X1200MM PRO SURFACE / SPECIAL EFFECTS





PRO SURFACE SOOTY AZUL DÉCOR HI-DEPTH PUNCH- TRIANGLE





SOOTY CREMA PRO SURFACE SOOTY CREMA DÉCOR HI-DEPTH PUNCH- TRIANGLE







TRIL MIST RIVER POLISH TRIL MIST PEARL PRO SURFACE



600X1200MM DECOR / SPECIAL EFFECTS





HD POLISH SHRINKER

28

TOGO SILVER

GRÈS TOUGH





TERRITORY DÉCOR MATT SHRINKER KIKWIT DÉCOR MATT SHRINKER



600X1200MM AURUM SERIES / GT SURFACE





ABARTH CEMENT DÉCOR HI-DEPTH PUNCH- BRICK





ABARTH COPPER GT SURFACE ABARTH COPPER DÉCOR HI-DEPTH PUNCH- BRICK









ABARTH TAUPE GT SURFACE ABARTH TAUPE DÉCOR HI-DEPTH PUNCH- BRICK



600X1200MM AURUM SERIES / GT SURFACE






ACURA GRIS GT SURFACE ACURA GRIS DÉCOR GT SURFACE





ACURA MARFIL DÉCOR GT SURFACE ACURA MARFIL DÉCOR GT SURFACE





ASTEN GRAPHITE GT SURFACE ASTEN GRAPHITE DÉCOR HI-DEPTH PUNCH- LINEAR






ASTEN GRIS GT SURFACE ASTEN GRIS DÉCOR HI-DEPTH PUNCH- LINEAR







ASTEN MARFIL GT SURFACE ASTEN MARFIL DÉCOR HI-DEPTH PUNCH- LINEAR



600X1200MM AURUM SERIES / GT SURFACE





LANCIA GRAPHITE GT SURFACE LANCIA GRAPHITE DÉCOR HI-DEPTH PUNCH- STRIP





LANCIA GRIS GT SURFACE LANCIA GRIS DÉCOR HI-DEPTH PUNCH- STRIP








LANCIA WALNUT DECOR HI-DEPTH PUNCH- STRIP



600X1200MM AURUM SERIES / GT SURFACE





LINCOLN GRIS GT SURFACE LINCOLN GRIS DÉCOR HI-DEPTH PUNCH- COMB





LINCOLN MARFIL DÉCOR HI-DEPTH PUNCH- COMB








SATURN GRAPHITE GT SURFACE SATURN GRAPHITE DÉCOR HI-DEPTH PUNCH- STRIP

GRÈS TOUGH





SATURN GRIS GT SURFACE SATURN GRIS DÉCOR HI-DEPTH PUNCH- STRIP







SATURN MARFIL DÉCOR HI-DEPTH PUNCH- STRIP



600X1200MM AURUM SERIES / GT SURFACE








SCION COPPER











SCION TAUPE GT SURFACE SCION TAUPE DÉCOR HI-DEPTH PUNCH- BARCODE



600X1200MM AURUM SERIES / GT SURFACE





SUBARU GRIS GT SURFACE SUBARU GRIS DÉCOR HI-DEPTH PUNCH- COMB





SUBARU MARFIL DÉCOR HI-DEPTH PUNCH- COMB





SUBARU COCO GT SURFACE SUBARU COCO DÉCOR HI-DEPTH PUNCH- COMB





Premium Tile Grouts



Advantages

WATER RESISTANT	EASY MAINTENANCE
IMPROVED EFFLORESCENCE CONTROL	NON-SHRINKING
SMOOTH FINISH	NON CRACKING
WEATHER RESISTANT	EASY APPLICATION AND CLEAN UP

Shades Available

SUPER WHITE	SKY BLUE
TAUPE	PEACH
HUSK	PINK
SAND	TERRA RED
CARDBOARD BROWN	BLOOD RED
METAL GOLD	BLUE
TAN BROWN	DARK GREEN
COCOA	BURGUNDY
LIGHT GREY	RED BROWN
STEEL GREY	SHILL BLACK
DARK GREY	JET BLACK



Premium Tile Adhesives



Old Cement Method







Gresbond Adhesives







Comparison

Properties	Sand/Cement	Gresbond Adhesive	
Installations time	Time-consuming	Fast	
Bed thickness	15-40 MM	2-6 MM	
Water curing	Required	Not-required	
Bond Strength	Hollowness behind the tile	100% Bond with tile & surface	
Application on large tiles	No	Yes	
External cladding	No	Yes	
Tile on tile	No	Yes	

Fast and Economical

GRESBOND Premium Tile adhesive can be easily applied over large areas with a notched trowel.

Easy to Work with

GRESBOND High-quality tile adhesives for wall application have good non-slump properties. The freshly laid tiles therefore do not slip on the wall. It is thus possible to lay the tiles from top to bottom without using spacers. This makes it easier to produce a uniform pattern.

Excellent Results

GRESBOND advanced premium adhesives are so easy to mix and install that good results are consistently achieved.

PREMIUM ADHESIVES, GROUTS & TILE CLEANER

INGREDIENTS FOR PERFECT RESULTS

CX-1

PREMIUM TILE ADHESIVE FOR CERAMIC FLOOR TILES

CX1 is a high-performance, grey cement-based, polymer-modified adhesive designed specifically for quick-setting ceramic floor tiles. Ideal for use on cement-based surfaces such as concrete and plaster, CX1 ensures a strong, long-lasting bond between tiles and the substrate. Its advanced formulation offers excellent adhesion & superior bonding.



VX-1

HIGH PERFORMANCE PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES & BATHROOM WALL TILES

VX-1 is polymer modified grey cement based tile adhesive specially designed for fixing all kinds of tiles including vitrified tiles, ceramic tiles and large format tiles on internal or external floor surface. Also suitable for bathroom wall tiles.



CX-2 WHITE

WHITE COLOR PREMIUM TILE ADHESIVE FOR CERAMIC FLOOR TILES

CX-2 is polymer modified white cement based tile adhesive meant for fixing ceramic floor tiles. White colour of CX-2 white protects light base tiles from discoloration along with strong bonding with the surface. Highly recommended for light base ceramic floor tiles



VX-2 WHITE

HIGH PERFORMANCE WHITE COLOR PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES, BATHROOM WALL TILES AND MARBLES

VX-2 is polymer modified white cement based tile adhesive protects light base tiles and marbles from discoloration along with strong bonding, suitable for all kinds of floor tiles which includes vitrified tiles, ceramic tiles, large format tiles & marble flooring.



VXX-1 GREY

HIGH PERFORMANCE GREY COLOR PREMIUM TILE ADHESIVE FOR ALL KIND OF FLOOR TILES, BATHROOM WALL TILES AND MARBLES

VXX-1 is a high-performance, polymer-modified grey tile adhesive designed for superior bonding. Ideal for all floor tiles, bathroom wall tiles, and marble, it ensures a durable and secure installation for both residential and commercial projects. Suitable for vitrified, ceramic, large-format tiles, and more, VXX-1 offers long-lasting aesthetics and reliable performance.



EX-5 WHITE GREY

HEAVY DUTY PREMIUM TILE ADHESIVE FOR INTERIOR & EXTERIOR WALL & FLOOR TILES

EX-5 is a high strength adhesive. EX-5 is specially designed for heavy duty tile application, it has superior strength & ideal for all kind of tiles & Stones. It is also suitable for interior & exterior wall cladding tiles.

 $Fastening \ is \ recommended \ to \ install \ slabs/big \ size \ tiles \ over \ facade \ on \ high \ rise \ walls$





CR-1 WHITE

PREMIUM TILE ADHESIVE FOR INTERIOR & EXTERIOR COOL ROOF FLOOR TILES

CR-1 is a highly polymer modified, high-performance thin-set adhesive, for tiles on a variety of surfaces, for horizontal application, in indoor as well as outdoor use, It's a dry mix ready to use mortar, only water to be added.



LX-7 WHITE | GREY

PREMIUM SPECIALIZED ADHESIVE FOR INSTALLATION OF LARGE FORMAT TILES AND STONES

LX-7 is highly polymerised, cement-based grey/white coloured adhesive. It has a chemical resistance properties and can be used in residential & commercial installations



KE-100 PREMIUM EPOXY GROUT

100% SOLID EPOXY GROUT

KE-100 is a Stain free Epoxy grout for floors & Walls. It is a colour fast, water & chemical resistant & 100% solid epoxy grout suitable for Ceramic tiles, Vitrified tiles, marbles and stones, especially in stain prone areas such as kitchens and washrooms (residential & commercial installations). Available in 22 colours. Suitable for joints between 2-12 mm. Available in 1Kg & 5Kg Pack.



KE-100 DUET TWO COMPONENTS PREMIUM EPOXY GROUT

NEW IMPROVED FORMULA WITH TWO COMPONENTS

GRESBOND **KE-100 DUET** is high performance Epoxy based two components tile grout. Easy to use and suitable for all wall and floor tiles, marble and natural stone. It has high chemical & abrasion resistant. It also produces hygienic joints that needs minimal maintenance in Kitchen & Bathroom areas. **Available in 22 colours. Suitable for joints between 2-12 mm. Available in 1 Kg & 5 Kg Pack.**



PREMIUM UNSANDED GROUT

SUPERIOR QUALITY GROUT FOR CLEAN JOINTS

GRESBOND **Premium Unsanded Grout** is a superior quality grout. It consist of a carefully prepared blend of white cement, chemical additives and fillers. It is easy to install just mix with water/Grout Admix and use. It is ideal for both floors and walls applications. **Available in 22 colours. Suitable for joints between 1-3 mm.**



TC-1 TILE CLEANER

FAST ACTING CLEANER FOR ALL TYPES OF TILE SURFACE

GRESBOND Tile Cleaner TC-1 is a fast acting acid based cleaner for regular cleaning of dirt and stains on tile surface, designed for daily maintenance of tiles.



TECHNICAL SPECIFICATIONS

Work si	ze	Coverage area/box (m²)	No. of tiles/box	Avg. Wt./box	Avg. Wt/sq.mtr.	
Dimensions (in mm)	Thickness (in mm)	area/box (m²)	INO. OF LIFES/BOX	Avy. vvc./nox	Avy. vv./sq.mtr.	
600x600	8.50	1.44	4 Pcs	27.20	18.89	
600x600 (POLISHED)	8.50	1.44	4 Pcs	27.10	18.81	
200x1200	10.00	0.96	4 Pcs	21.20	22.08	
600x1200	8.50	1.44	2 Pcs	27.50	19.09	
800x1600	9.00	2.56	2 Pcs	52.00	20.31	

	Comparison of Kajaria 1	iles Paramete	ers to Internat	ional Standards Blb ISO-130	006:2018-09
G N		Group Blb-ISO 13006:2018-09 Nominal Size (N) N ≥ 15cm Whichever less is applicable		Our Value	Method of Testing
Sr. No.	Characteristics				
		%	mm		
1	Deviation in Length & Width	± 0.3	± 1.0	± 1.0	ISO-10545-2
2	Deviation in Thickness	± 5.0	± 0.5	± 0.5	ISO-10545-2
3	Deviation in Straightness of Sides	± 0.3	± 0.8	± 0.8	ISO-10545-2
4	Deviation in Rectangularity	± 0.3	± 1.5	± 1.5	ISO-10545-2
	Surface Flatness				
_	a. Centre Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
5	b. Edge Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
	c. Corner Warpage (max.)	± 0.4	± 1.8	± 1.8 mm	ISO-10545-2
6	Surface Quality	A min. 95% of the tiles are to be free from visible defects		A min. 95% of the tiles are to be free from visible defects	ISO-10545-2
7	Water Absorption	0.5% < Eb ≤ 3.0% Ind. Max. 3.3%		2.0 - 3.0 %	ISO-10545-3
8	Abrasion Resistance	Report abrasion class		PEI class 3 min.	ISO-10545-7
9	Modulus of Rupture N/mm2	Min. 30, Individual min. 27		Min. 30, Individual min. 27	ISO-10545-4
10	Breaking Strength (in Newtons)		s ≥ 7.5 mm, han 1100	"Thickness ≥ 7.5 mm,	ISO-10545-4
10	Di cavilly on engul till hewcolls)	b. Thickness not less	s < 7.5 mm, than 700	not less than 1100"	
11	Crazing Resistance	Required		4 cycle at 7.5 bar min.	ISO-10545-11
12	Resistance to Staining	Min. class 3		Min. class 3	ISO-10545-14
13	Resistance to Chemical	Test method available		Resistant to specified chemicals	ISO-10545-13
14	Moisture Expansion in millimetres per metre	Test method available		Negligible	ISO-10545-10
15	Thermal Shock Resistance	Test method available		No damage	ISO-10545-9

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
 Sizes mentioned in the catalogue are nominal sizes only.
 No claim will be entertained once the tiles are fixed.
 For better laying, please follow the instructions on the packaging box.
 Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

KAJARIA DISPLAY CENTRES / REGIONAL OFFICE



SOUTH

BANGALORE:

Farah Icon, 119 First Floor, Opp. New Pass Port Kendra, Lalbagh Road, Bangalore – 560 027, Karnataka Phones: 080-41440019/20/30

Mob.: 9341237537

COIMBATORE:

Ist Floor, 57, Cowley Brown Road,
Near Central Library, R.S.Puram,
Coimbatore - 641002, Tamil Nadu
Phones: 0422-4350801/4350803
E-mail: coimbatore@kajariaceramics.com

COCHIN:

MN Square, 2nd Floor, 549/2, Near Gold Souk Grande NH Bypass, Vyttila, Cochin- 19, Kerala Phones: 0484-2912000

E-mail: coc@kajariaceramics.com

HYDERABAD:

Uma Aishwarya House, H.No 8-2-502/1/AG, Road No. 7, Banjara Hills,

Hyderabad - 500034, Telangana

Phone: 040-66106058, Mob.: 9000005392 E-mail: hyderabad@kajariaceramics.com

CHENNAI:

Fagun Chambers, Old No: 7,

New No: 26A/2, 1st Floor, Ethiraj Salai, Egmore , Chennai - 600008, Tamil Nadu Phones : 044-42691094/ 28264990 E-mail : chn@kajariaceramics.com

WEST

AHMEDABAD (Regional Office)

City Centre-2, Office No-504, 5th Floor, Nr. Sukan Mall Cross Road, Science City Road, Sola, Ahmedabad, Gujarat - 380060

Mob.: 9724340881

PUNE:

6th Floor, 601, DSK Gandharva Heights, Ganeshkhind Road, Shivajinagar Pune - 411005, Maharashtra Phone: 020-6647 1600

MORBI:

Shop no 23, 4th Floor, Satyam Commercial Complex, Maliya Fatak Overbridge, Morbi-Kandla National Highway, Mahendra Nagar, Morbi, Gujarat - 363642

Mob.: 7046689961

MUMBAI:

B1 - 307, Boomerang, Chandivali Farm Road, Near Chandivali Studio, Off Saki-vihar Road,

Andheri (E), Mumbai – 400072 Phone : 022-69433100

E-mail: mum@kajariaceramics.com



INDIA'S NO. 1 TILE COMPANY

Kajaria Ceramics Limited