

Kajaria

**WATCH OUT
FOR NEW
COLLECTION**



grès  tough

PLANKS

195x1200mm

HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

NATURAL WOOD INSPIRATION

WOOD-LOOK SURFACE RICH IN NATURAL SUGGESTIONS AND AUTHENTICITY.

The intense sensations of naturalness and authenticity of natural wood essences are brought to life on a ceramic surface that conveys the timeless charm of the natural material to contemporary spaces of refined design.

grès  tough
PLANKS
195x1200mm
HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

grès  tough

PLANKS

195x1200mm

HI-DEFINITION DIGITAL CERAMIC
FLOOR TILES



ADVANTAGES

-  Easy cleaning and suitable for heavy traffic areas
-  Extremely durable
-  Highly resistant to abrasion, staining and chemicals
-  Protect water seepage
-  Anti skid
-  Random designs inspired from real wood
-  100% matching with real wood

ECOLOGICAL ADVANTAGES

- Waste/ Used Ceramic Tiles can be 100% recycled and reused.
- No Trees/ Wood are used in ceramic tile manufacturing.
- Substitute of natural wooden flooring which are made from wood/ Trees.

WOOD LOOK TILES

A SAFE CHOICE

COMPARISON

Gres Tough Planks are tiles with matching natural wood textures & gives exact look of wooden flooring. They offer several advantages over actual wooden planks :

GRESTOUGH PLANKS	ACTUAL WOODEN PLANKS
Water Resistant	Non-Resistant to Water
Termite Resistant	Wood is Prone to Termites
Long Lasting	Shorter Life
Environment Friendly	Not Eco-Friendly
Noise-Free While Moving	Wooden Flooring Makes Noise While Moving
Very Easy to Lay	Complicated Laying Procedure
Stain Resistant	Prone to Stains



↑ ECO-FRIENDLY

↑ NO OILS, WAXES OR PRIMERS

↑ UV RESISTANT

↑ PREVENT BACTERIAL GROWTH

↑ WATERPROOF AND FROST RESISTANT

grès tough PLANKS

195x1200mm

HI-DEFINITION DIGITAL CERAMIC
FLOOR TILES

↑ STAIN RESISTANT

↑ EASY TO CLEAN AND DISINFECT

↑ FIREPROOF

↑ HYGIENIC

↑ HIGH BODY STRENGTH



↑ FREE FROM TOXIC AND POLLUTING ELEMENTS (ZERO VOCS)

	AMBER ROSSO	10
	ARTISON TAN	12
	BRIER CREEK OAK	14
	CREST RIDGE WOOD	16
	CASK WHITE PINE	18
	HIMALAYAN CEDAR	20
	JACOBEOAN WOOD	22
	JAMESON WALNUT	24
	MARLOW WOOD	26
	NATURAL HICKORY	28
	VALLEY GROVE OAK	30
	AFRICAN WENGE	32
	AMAZON WALNUT	34
	BHUTAN WENGE	36
	CHERRY BEECH	38

	CORBETT TEAK	40
	EQUADOR TEAK	42
	EBONY WOOD	44
	ENGLISH MAHOGANY	46
	HILLCREST WALNUT	48
	KAZIRANGA TEAK	50
	KASHMIR WILLOW	52
	MONTANA WALLNUT	54
	NICOBAR CEDAR	56
	SIBERIAN PINE	58
	SENEGAL OAK	60
	TROPICAL WALLNUT	62
	CHARM STONE BEIGE	64
	CHARM STONE GREY	66
	SILICATE GOLD	68



195x1200mm HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

New

AMBER ROSSO



ARTISON TAN

195x1200mm

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

New





**CREST RIDGE
WOOD**



New

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

195x1200mm



195x1200mm

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

New

**CASK WHITE
PINE**



**HIMALAYAN
CEDAR**



New

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

195x1200mm




195x1200mm

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

New

JACOBAN
WOOD



195x1200mm HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

New

**JAMESON
WALNUT**



**MARLOW
WOOD**

New

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

195x1200mm



195x1200mm HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

New

**NATURAL
HICKORY**



**VALLEY GROVE
OAK**



New

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

195x1200mm



AFRICAN WENGE



**AMAZON
WALNUT**





BHUTAN WENGE

195x1200mm HI-DEFINITION DIGITAL CERAMIC FLOOR TILES



195x1200mm

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES



CHERRY BEECH



CORBETT TEAK





195x1200mm

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

EQUADOR TEAK



195x1200mm HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

EBONY WOOD



**ENGLISH
MAHOGANY**



HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

195x1200mm



195x1200mm HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

**HILLCREST
WALNUT**



**KAZIRANGA
TEAK**





195x1200mm HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

**KASHMIR
WILLOW**



195x1200mm

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

**MONTANA
WALNUT**



**NICOBAR
CEDAR**





195x1200mm HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

SIBERIAN PINE



SENEGAL OAK



**TROPICAL
WALNUT**




HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

195x1200mm




**CHARM STONE
BEIGE**



New

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

195x1200mm



195x1200mm

HI-DEFINITION DIGITAL
CERAMIC FLOOR TILES

New

CHARM STONE
GREY



195x1200mm HI-DEFINITION DIGITAL CERAMIC FLOOR TILES

SILICATE GOLD

SPECIFICATION

Work Size		No. of Tiles Per Box	Coverage/Box (Sq. Mtrs.)	Weight/Sq.Mtr. (kgs.)
Dimensions (in mm)	Thickness (in mm)			
195X1200mm (Grestough Planks)	9.50	4 Pcs.	0.936	20.35

CERAMIC TILES TECHNICAL SPECIFICATION - GROUP B IIa , ISO Standard 13006:2018 & IS 15622 :2017					
S.No.	Test Description	Standard Test Method	ISO Standard 13006:2018	IS 15622 :2017	Kajaria Standard
1	Deviation in length & Width	ISO 10545-2/ IS 13630 Part 1	Max. ±0.30%	Max. ± 0.10%	Max. ± 0.10%
2	Deviation in Thickness	ISO 10545-2 / IS 13630 Part 1	Max. ± 5.0%	Max. ± 5.0%	Max. ± 4.0%
3	Deviation in Straightness of Sides	ISO 10545-2 / IS 13630 Part 1	Max. ±0.30%	Max. ± 0.10%	Max. ± 0.10%
4	Deviation in Rectangularity	ISO 10545-2 / IS 13630 Part 1	Max. ±0.30%	Max. ± 0.10%	Max. ± 0.10%
5	Surface Flatness (Center& Edge curvature)	ISO 10545-2/ IS 13630 Part 1	Max. ± 0.40%	Max. ± 0.50%	Max. ± 0.40%
6	Warpage	ISO 10545-2 / IS 13630 Part 1	Max. ± 0.40%	Max. ± 0.50%	Max. ± 0.40%
7	Surface Quality	ISO 10545-2 / IS 13630 Part 1	Min 95% free from visible defects	Min 95% free from visible defects	Min 95% free from visible defects
8	Water Absorption	ISO 10545- 3 / IS 13630 Part 2	3% < Average ≤ 6 %	3% < Average ≤ 6 %	Max - 3.5 %
9	Moisture Expansion	ISO 10545-10 / IS 13630 Part 3	Test Method Available	0.03 mm/m Max	0.006 mm/m Max
10	Linear Termal Expansion	ISO 10545-8 / IS 13630 Part 4	Test Method Available	≤9X10 ⁻⁶ K ⁻¹	≤9X10 ⁻⁶ K ⁻¹
11	Thermal Shock Resistance	ISO 10545-9/ IS 13630 Part 5	Test Method Available	10 Cycle Min	10 Cycle Min
12	Breaking Strength	ISO 10545-4/IS 13630 Part 6	≥ 1000 N	≥ 1000 N	≥ 1200 N
13	Modulus of Rupture	ISO 10545-4 / IS 13630 Part 6	Average Min -22 N/mm² Individual min - 20 N/mm²	Average Min -22 N/mm² Individual min - 20 N/mm²	Average Min -30 N/mm² Individual min - 28 N/mm²
14	Resistance to Chemical	ISO 10545- 13 /IS 13630 Part 8	Min Class B	Min Class AA	Min Class AA
15	Resistance to stain	ISO 10545-14 / IS 13630 Part 8	Min Class 3	Min Class 1	Min Class 1
16	Crazing Resistance	ISO 10545-11 / IS 13630 Part 9	Required	Min. 4 cycles @ 7.5 bar	Min. 4 cycles @ 7.5 bar
17	Resistance to Surface Abrasion	ISO 10545-7 / IS 13630 Part 11	Report: Abrasion Class And cycle passed	Class II Min	Min Class III
18	Scratch Hardness (Moh,s scale)	IS 13630 Part 13	NA	Min 4	Min 5
19	Impact Resistance(COR)	ISO 10545-5 / IS 13630 Part 14	Test Method Available	0.55 Min	0.78 Min
20	Frost Resistance	ISO 10545-12/ IS 13630 Part 10	Test Method Available	Required , if agreed to between manufacturer and purchaser	100 Cycle Passed
21	Lead and Cadmium Release	ISO 10545-15	Test Method Available	NA	Cd - <1 ppm , Pb - 52 ppm

- Colours in the catalogue are as accurate as printing process allows. please check actual tile sample before making the final selections.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

KAJARIA DISPLAY CENTRES / REGIONAL OFFICE



NORTH

CHANDIGARH :
SCO 17, 1st Floor ,
Sector-7C , Madhya Marg, Chandigarh.
Phones : 91-172-4631418, 4631415
E-mail : chandigarh@kajariaceramics.com

DEHRADUN :
485, Dharampur, Haridwar Road, Dehradun
Phone : 0135-2675329
E-mail : dehradun@kajariaceramics.com

JAMMU :
Satyam Road, Trikuta Nagar,
Jammu - 180012, Jammu and Kashmir
Phone - +91-191 247 6300

JAIPUR :
Ground Floor, Nidhi Kamal Tower,
Plot No 37-38 B, Barwara House,
Ajmer Road, Jaipur - 302006, Rajasthan
Phone : 0141-4910941, 2220244
E-mail : jaipur@kajariaceramics.com

LUDHIANA :
Dhanraj Complex, Fourth Floor,
Near P.A.U. Gate No. 2, Ferozpur Road
Ludhiana-141001, Punjab
Phone : +91-161-4649002
E-mail : ludhiana@kajariaceramics.com

LUCKNOW (Regional Office)
Office Area No. 818, 8th Floor, Cyber Heights,
Vibhuti Khand, Gomti Nagar,
Lucknow - 226010 (U.P.)
Phone : +91-9918002487

VARANASI :
Varanasi Trade Centre, Plot No.154/2A, 1st Floor,
Near Income Tax Office, Maqbool Alam Road,
Varanasi- 221002
Phone : 0542-2500483
E-mail : varanasi@kajariaceramics.com
Mob.: 9005092402

SOUTH

BANGALORE :
Farah Icon, 119 First Floor,
Opp. New Pass Port Kendra,
Lalbagh Road, Bangalore – 560 027, Karnataka
Phones : 08041440019 / 20 / 30
Mob.: 9341237537

CHENNAI :
Fagun Chambers, Old No: 7,
New No: 26A/2, 1st Floor, Ethiraj Salai,
Egmore , Chennai - 600008, Tamil Nadu
Phones : 044-42691094/ 28264990
E-mail : chn@kajariaceramics.com

SOUTH

COCHIN :
MN Square, 2nd Floor, 549/2,
Near Gold Souk Grande
NH Bypass, Vyttila, Cochin- 19, Kerala
Phones : 0484-2912000
E-mail : coc@kajariaceramics.com

COIMBATORE :
2nd Floor, 57, Cowley Brown Road,
Near Central Library, R.S.Puram ,
Coimbatore - 641002, Tamil Nadu
Phones : 0422-4350801/4350803
E-mail : coimbatore@kajariaceramics.com

HYDERABAD :
Uma Aishwarya House, H.No 8-2-502/1/AG,
Road No. 7, Banjara Hills,
Hyderabad - 500034, Telangana
Phone : 040 - 66106058
Mob.: 9000005392
E-mail : hyderabad@kajariaceramics.com

VIJAYWADA :
61-3/4-1, 1st Road, Geetha Nagar,
Beside SBI Bank, NH-5, Balaji Nagar,
Krishna Lanka, Vijaywada-520013, (A.P.)
M: 9000015173

CENTRAL

RAIPUR (Regional Office)
Shop No. 507&508, 5th Floor,
Lalganga Business Park, NH-43, Pachpedhi Nak,
Raipur-492001, Chhattisgarh
Phone : +91 7714060427

INDORE (Regional Office)
S.A. Tower, 1st Floor, 13/3 New Palasia,
Opp. Arya Samaj Building,
Indore - 452001, Madhya Pradesh
Phone: 0731- 4068839, 73140 68839

EAST

PATNA (Regional Office)
'ANCHAL', House No.-15, Ground Floor
Justice Narayan Path, Nageswar Colony
Patna - 800001, Bihar
Phone - +91 93347 91993

KOLKATA (Regional Office)
Tirupati Plaza, 2nd Floor 74/2,
Acharya Jagdish chandra Bose Road,
Kolkata -700 016, West Bengal
Phone - +91-33-40231111

WEST

AHMEDABAD (Regional Office)
City Centre-2, Office No-504,
5th Floor, Nr. Sukan Mall Cross Road,
Science City Road, Sola, Ahmedabad,
Gujarat - 380060
Phone: 9724340881

MORBI
NH 8A, Anand Nagar, Morbi, Gujarat - 363642
Mob.:7046689961

MUMBAI :
B1 - 307 , Boomerang, Chandivali Farm Road,
Near Chandivali Studio, Off Saki-vihar Road,
Andheri (E), Mumbai – 400072
Phone : 022-61433100
E-mail : mum@kajariaceramics.com

PUNE :
6th Floor, 601, DSK Gandharva Heights,
Ganeshkhind Road, Shivajinagar
Pune - 411005, Maharashtra
Phone: 020 6647 1600

Kajaria

INDIA'S NO. 1 TILE COMPANY

Kajaria Ceramics Limited

Corporate Office: J1/B1 (Extn.), Mohan Co - op Industrial Estate, Mathura Road, New Delhi - 110044, Ph.: +91-11-26946409

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.:+91-0124-4081281

CIN No. : L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web.: www.kajariaceramics.com

 facebook.com/KajariaCeramicsLimited  twitter.com/KajariaCeramic, Tollfree : 1800-309-309

Download Kajaria App

