





Kajaria

India's No.1 & World's 8th Largest Manufacturer of Tiles



We Are Kajaria Eternity

With over 20 years of legacy, Kajaria Eternity leads as India's No. 1 GVT brand, blending European design with Indian craftsmanship for contemporary yet timeless tiles. Renowned for high flexural strength, breaking strength, and zero porosity, our tiles are unmatched in durability. Featuring over 1500 designs and 13 sizes in various finishes, our range caters to every aesthetic and spatial need. Trusted in 31 countries, including Europe, the USA, Asia Pacific, and the Middle East, Kajaria Eternity stands for lasting beauty and unparalleled quality.

Innovation drives Kajaria Eternity, leading us to adopt revolutionary Continua+ technology, propelling us to new industry heights.

With Continua+ Technology, Eternity Achieves:

- Fully Automatic Precision: Advanced pressing technology for large slab production.
- Unrivalled Quality: Unparalleled surface flatness and consistency.
- Greater Body Strength and Flexibility: Uniform roller pressing ensures superior body strength and flexibility.
- Exquisite Finish: Perfect shine and planarity.
- Sustainability: Optimized resource usage and reduced emissions.
- Industry Leadership: Leading in innovation and sustainability.



Available Sizes

The Ultima Premium Collection of extra-large vitrified slabs by Kajaria Eternity surpasses your wildest dreams, infusing spaces with unparalleled grandeur. The expansive dimensions of these slabs not only evoke the magnificence of genuine marble but also captivate enthusiasts worldwide with their breathtaking aesthetics. In the realm of Ultima, the vast array of sizes, designs, and finishes elevates spaces to larger-than-life proportions, transforming them into magnificent showcases of luxury and style.

Ultimate Advantages



Stain Resistant



Easy Installation



Scratch Resistant



Fire Resistant



High Abrasion Resistance



Thermal Resistant



High Flexural Strength



Chemical Resistant



Zero Maintenance



Easy to Clean



For Floor & Wall Application



Fine Detailing



Upto 0% Water Absorption





The Ultimate Finishes



These are décor tiles which come with an emboss feel. Made using high quality special glaze and a digital machine, they have a uniquetexture which gives line/arrow punch effect



Wood

These opulent wooden planks add a charming addition to glorify every corner of your house.



Polish

A spectacular mirror-like effect is what you get in this superior finish. The highly polished look is achieved with a high-quality glaze that has a Reflective Index Value of more than 103% and enhancing image sharpness and giving a rich and true color experience.



Silk Matt

These tiles are remarkably unique and suitable for modern homes. A fine continuous feel of the feather-like surface and smooth texture can make any space luxurious.



Bold

As Suggested By The Descriptor 'bold, This Finish Has A Rock Like Effect. With The Use Of Special Technique And Digital Glaze Machine, These Special Effects Are Created To Give A Real Life Stone Effect.




Glitz Matt

Glitz matt finish provides an embossed effect to the veins on surfaces to enhance the shine and texture, thereby giving your home a realistic feel.



Marbletech






Premium Matt | Matt

These tiles are closest to natural stones to give an ambiance of nature which make them a perfect choice for indoors as well as outdoors. The matt finish complements perfectly to your vision of creating spaces that look traditional and rustic.




Premium Polish

These tiles comprise a collection of intense colors which give the most premium feel and vividness to the surface. The high-quality transparent glaze ensures unparalleled sharpness in graphics giving it a high-definition retina image.



Super White

With an L value of more than 94, these striking super white tiles promise the whitest finish available in the industry.



Beyond

This finish is made for a luxurious world and is the most premium finish. Developed with

Advanced digital technology, it has a smooth surface with almost zero surface reflection. It's a fine balance of design and elegance

4 UNIQUE SIZES, 4 DISTINCT FINISHES WITH STYLISH GRAPHICS



STUNNING FINISHES



A SPECTACULAR MIRROR LIKE EFFECT IS
WHAT YOU GET IN THIS SUPERIOR FINISH.
THE BRILLIANT POLISH LOOK IS ACHIEVED
WITH HIGH QUALITY GLAZE, THAT HAS
REFLECTIVE INDEX VALUE OF MORE THAN
100%. IT ENHANCES IMAGE SHARPNESS AND
CREATES A RICH AND TRUE COLOR LOOK.

THIS FINISH IS MADE FOR A
LUXURIOUS WORLD AND IS THE MOST
PREMIUM FINISH. DEVELOPED WITH
ADVANCED DIGITAL TECHNOLOGY, IT HAS
A SMOOTH SURFACE WITH ALMOST ZERO
SURFACE REFLECTION. IT'S A FINE
BALANCE OF DESIGN AND ELEGANCE.



BOLD



THESE ARE DÉCOR TILES WHICH COME
WITH AN EMBOSS FEEL. MADE USING
HIGH QUALITY SPECIAL GLAZE AND A
DIGITAL MACHINE, THEY HAVE A UNIQUE
TEXTURE WHICH GIVES LINE/
ARROW PUNCH EFFECT.

AS SUGGESTED BY THE DESCRIPTOR 'BOLD', THIS FINISH HAS A ROCK LIKE EFFECT. WITH THE USE OF SPECIAL TECHNIQUE AND DIGITAL GLAZE MACHINE, THESE SPECIAL EFFECTS ARE CREATED TO GIVE A REAL LIFE STONE EFFECT.

FINISHESAVAILABLE

SIZE	POLISH	BEYOND	BOLD	BLISS
1200X2400MM	/	/	✓	✓
1200X1800MM	✓	/ /	✓	
800X1600MM	/	 	✓	/
1200X1200MM				













INDEX

17 -150
1200x1800 mm









151 -172 1200x1200 mm

173 -178

285x1800 mm





A Mirage Of Majestic Magnificence

The Ultima

1200x1800 mm

Embrace cosmopolitan chic with our versatile tiles, offering a myriad of textures and finishes for every corner of your home. Infused with natural beauty, The Ultima 1200x1800 mm tiles add a double take-worthy allure. With a range of hues, they inspire limitless decorative possibilities indoors and out.












FACES X 4





POLISH | BOLD | BEYOND



^{*}This tile is also available in 1200x2400 mm & 800x1600 mm in Polish | Bold | Beyond | Bliss finish *This tile is also available in 1200x1200 mm in Polish | Beyond finish





Scan to Interact









POLISH | BOLD | BEYOND

FACES X 3



^{*}This tile is also available in 1200x2400 mm & 800x1600 mm in Polish | Bold | Beyond | Bliss finish *This tile is also available in 1200x1200 mm in Polish | Beyond finish

PAVIT GREY 1200X1200 & 1200X1800 MM | POLISH & BOLD





Scan to Interact





LEGACY GREY

POLISH | BOLD | BEYOND



^{*}This tile is also available in 1200x2400 mm & 800x1600 mm in Polish | Bold | Beyond | Bliss finish *This tile is also available in 1200x1200 mm in Polish | Beyond finish











FACES X 3



LEGACY MARFIL

POLISH | BOLD | BEYOND



^{*}This tile is also available in 1200x2400 mm & 800x1600 mm in Polish | Bold | Beyond | Bliss finish *This tile is also available in 1200x1200 mm in Polish | Beyond finish





Scan to Interact











POLISH | BOLD | BEYOND



^{*}This tile is also available in 1200x2400 mm & 800x1600 mm in Polish | Bold | Beyond | Bliss finish *This tile is also available in 1200x1200 mm in Polish | Beyond finish

GOZZIO BEIGE 1200X2400 MM | POLISH & BEYOND









ARBESCATO | SUPER WHITE









POLARIS (POLISH) | SUPER WHITE

25

EMPREDOR LIGHT





MARBLETECH



EMPREDOR LIGHT | MARBLETECH


1200x1800 mm



Scan to Interact







FACES X 2



ATLANTA GREY

MARBLETECH



ATLANTA GREY | MARBLETECH













MARBLETECH




*This tile is also available in 800x1600 mm EMALI BEIGE | MARBLETECH











PULPIS MARFIL

MARBLETECH



PULPIS MARFIL | MARBLETECH

1200x1800 mm







AFYON WHITE | PREMIUM POLISH



Scan to Interact







WILLIAMS GREY

PREMIUM POLISH




WILLIAMS GREY | PREMIUM POLISH

42









BELVEDER GRIS

PREMIUM POLISH




BELVEDER GRIS | PREMIUM POLISH

44











PREMIUM POLISH




AQUAMARINA | PREMIUM POLISH











PREMIUM POLISH



BLACK PORTORO | PREMIUM POLISH

1200x1800 mm



Scan to Interact





ESPRADA MOCHA

PREMIUM POLISH




ESPRADA MOCHA | PREMIUM POLISH











PREMIUM POLISH




LAURENTO BLACK | PREMIUM POLISH









MARQUINA NERO

PREMIUM POLISH



MARQUINA NERO | PREMIUM POLISH





Scan to Interact










PREMIUM POLISH



PULPIS GRIS | PREMIUM POLISH










BRECCIA BROWN

PREMIUM POLISH



BRECCIA BROWN | PREMIUM POLISH











PREMIUM POLISH




VERSACE COPPER | PREMIUM POLISH

1200x1800 mm











POLISH



CALCUTTA WHITE | POLISH


1200x1800 mm











FACES X 3



POLISH CARRARA WHITE



CARRARA WHITE | POLISH

64

1200x1800 mm











POLISH



*This tile is also available in 800x1600 mm

SATUARIO CLASSICO | POLISH

1200x1800 mm










FACES X 3







ONYX ALFA | POLISH

1200x1800 mm









FACES X 2











ONYX BLANCO | POLISH

1200x1800 mm




















*This tile is also available in 1200x1200 mm & 800x1600 mm

KASHMIR SNOW | POLISH







OCEANIC GREY | POLISH











FACES X 3





VENCHY GREY | POLISH

1200x1800 mm



Scan to Interact









OLIVE GREY | POLISH














ARISTA GREY | POLISH













*This tile is also available in 800x1600 mm



















ARMANI SILVER | POLISH













CLASSIC GREY | POLISH













LYKRA SILVER | POLISH











BOTTICINO POLISH



BOTTICINO | POLISH







BRECCIA AURORA | POLISH

92













*This tile is also available in 1200x2400 & 800x1600 mm













ROYAL DYNA | POLISH














JERICO OCRE | POLISH

1200x1800 mm











ZION BEIGE POLISH



ZION BEIGE | POLISH

1200x1800 mm











CORDELA BEIGE






CORDELA BEIGE | POLISH

1200x1800 mm









FACES X 3









PORTLAND BEIGE | POLISH

1200x1800 mm











CREMA MARBLE

POLISH



CREMA MARBLE | POLISH

1200x1800 mm
















VIZER CREMA | POLISH













INTEL CREMA POLISH



*This tile is also available in 1200x2400 & 800x1600 mm



















PULPIS MARFIL | POLISH


112

1200x1800 mm





POLISH



REGALIA MARFIL | POLISH

113

REGALIA MARFIL

1200x1800 mm



Scan to Interact







FACES X 2



KASHMIR MARFIL

POLISH



*This tile is also available in 800x1600 mm


KASHMIR MARFIL | POLISH













JERICO MARFIL | POLISH

118



Scan to Interact













*This tile is also available in 800x1600 mm

1200x1800 mm



Scan to Interact









POLISH



*This tile is also available in 800x1600 mm

1200x1800 mm

















*This tile is also available in 800x1600 mm









LATINO TAUPE POLISH



LATINO TAUPE | POLISH









NAXOS BEIGE

GLITZ MATT




NAXOS BEIGE | GLITZ MATT

1200x1800 mm





SILK MATT



ARISTA BEIGE | SILK MATT

129

ARISTA BEIGE

1200x1800 mm

















SOFITA BEIGE | SILK MATT

1200x1800 mm



Scan to Interact









PULPIS GRIS | BEYOND



Scan to Interact









BEYOND



VENCHY GREY | BEYOND













ARMANI GREY | BEYOND

138

PULPIS MARFIL





BEYOND



PULPIS MARFIL | BEYOND


140

1200x1800 mm










BEYOND





KASHMIR SNOW | BEYOND

1200x1800 mm











PREMIUM MATT



OSLO GRIS | PREMIUM MATT

1200x1800 mm













OSLO MARFIL | MATT

1200x1800 mm




Scan to Interact





FACES X 2









*This tile is also available in 1200x2400 mm & 1200x1200 mm

RESINO GREY | MATT

1200x1800 mm




Scan to Interact







FACES X 2







*This tile is also available in 1200x2400 mm

RESINO GRIS | MATT

Innovation Embracing Elegance

The Ultima

1200x1200 mm

Introducing a contemporary marvel, The Ultima 1200x1200 mm tiles, a modern masterpiece destined to elevate your spaces. Offering a lavish selection of designs and finishes, they effortlessly blur the lines between indoor comfort and outdoor allure. With captivating options like Polished, Marbletech, Matt, and Beyond, these tiles infuse your living space with a touch of natural splendor, redefining modern elegance.












SATUARIO LUXE | POLISH



PAVIT GREY | BEYOND



PAVIT GREY POLISH | BEYOND

THE ULTIMA 1200x1200 mm









LEGACY GREY

POLISH | BEYOND

FACES X 4




LEGACY GREY | BEYOND



LEGACY MARFIL | POLISH







LEGACY MARFIL

POLISH | BEYOND












GOZZIO BEIGE

POLISH | BEYOND

FACES X 3



GOZZIO BEIGE | BEYOND



1200x1200 mm



FACES X 4



MARBLETECH




159

DONATO BEIGE



FABIANO BEIGE | MARBLETECH






1200x1200 mm









COSMO BLACK

PREMIUM POLISH

FACES X 2



COSMO BLACK | PREMIUM POLISH



FANTASY WHITE | POLISH

162



FANTASY WHITE

POLISH

1200x1200 mm








ICE ONYX | POLISH



KASHMIR SNOW | POLISH



KASHMIR SNOW POLISH | MARBLETECH

*This tile is also available in 1200x1800 & 800x1600 mm

1200x1200 mm












EDNA MARFIL | POLISH



EDNA MARFIL POLISH

1200x1200 mm









BALBUA BEIGE

POLISH



BALBUA BEIGE | POLISH



SILVIA BEIGE | POLISH



SILVIA BEIGE



168

POLISH

1200x1200 mm



Scan to Interact

Random

FACES X 4

CALIFORNIA CREMA




POLISH

CALIFORNIA CREMA | POLISH



ENZO TAUPE | POLISH



ENZO TAUPE POLISH

1200x1200 mm





*This tile is also available in 1200x2400 & 1200x1800 mm



ZURICH MARFIL | MATT





Tiles Of Sublime Grandeur And Magnificence

Transforming every nook into a sanctuary of elegance, The Ultima 285x1800 mm planks exude opulence. Their perfect dimensions bring a vibrant, modern touch to your spaces, infusing each corner with charm. With a matte finish to complement your home, this collection promises a unique and sophisticated ambiance.





285x1800 mm



Scan to Interact





















ELEGANZA TEAK | WOOD

175


ELEGANZA WENGE (WOOD)

285x1800 mm



Scan to Interact

FOSSIL WOOD (WOOD)

























WESTWOOD CEDAR | WOOD

178

INDEX

Kajaria ET SRNITY INDIA'S NO.1 GVT BRAND

161

1200x1800 mm

4DX	
GOZZIO BEIGE BOLD	25
LEGACY GREY BOLD	21
LEGACY MARFIL BOLD	23
PAVIT GREY BOLD	19
SATUARIO LUXE BOLD	17
GOZZIO BEIGE BEYOND	25
LEGACY GREY BEYOND	21
LEGACY MARFIL BEYOND	23
PAVIT GREY BEYOND	19
SATUARIO LUXE BEYOND	17
GOZZIO BEIGE	25
LEGACY GREY	21
LEGACY MARFIL	23
PAVIT GREY	19
SATUARIO LUXE	17

SUPER WHITE

ARBESCATO (M-TECH)	27
ARBESCATO	27
POLARIS	29

MARBLETECH

ATLANTA GREY (M-TECH)	33
EMALI BEIGE (M-TECH)	35
EMPREDOR LIGHT (M-TECH)	31
PULPIS MARFIL (M-TECH)	37

PREMIUM POLISH

AFYON WHITE	39
AQUAMARINA	45
BELVEDER GRIS	43
BLACK PORTORO	47
BRECCIA BROWN	57
ESPRADA MOCHA	49
LAURENTO BLACK	51
MARQUINA NERO	53
PULPIS GRIS	55
VERSACE COPPER	59
WILLIAMS GREY	41





POLISH

ARISTA GREY	/9
ARMANI GREY	81
ARMANI SILVER	83
BOTTICINO	89
BRECCIA AURORA	91
BRECCIA AZURE	93
CALCUTTA WHITE	61
CARRARA WHITE	63
CLASSIC GREY	85
CORDELA BEIGE	101
CREMA MARBLE	105
INTEL CREMA	109
JERICO MARFIL	117
JERICO OCRE	97
KASHMIR MARFIL	115
KASHMIR SNOW	71
LAPIS MARFIL	119
LAPIS TAUPE	123
LATINO TAUPE	125
LYKRA SILVER	87
OCEANIC GREY	73
OLIVE GREY	77
ONYX ALFA	67
ONYX BLANCO	69
PORTLAND BEIGE	103
PULPIS MARFIL	111
REGALIA MARFIL	113
ROYAL DYNA	95
SATUARIO CLASSICO	65
VENCHY GREY	75
VIZER CREMA	107
ZION BEIGE	99
ZION MARFIL	121

GLITZ MATT

IAXOS	BEIGE		127
-------	-------	--	-----

PREMIUM MATT	
OSLO GRIS MATT	143

MATT	
OSLO MARFIL MATT	145
RESINO GREY	147
RESINO GRIS	149

129

131

SILK MATT ARISTA BEIGE SOFITA BEIGE

BEYOND

ARMANI GREY BEYOND	137
KASHMIR SNOW BEYOND	141
PULPIS GRIS BEYOND	133
PULPIS MARFIL BEYOND	139
VENCHY GREY BEYOND	135

1200x1200 MM

4DX

GOZZIO BEIGE BEYOND	157
LEGACY GREY BEYOND	155
LEGACY MARFIL BEYOND	156
PAVIT GREY BEYOND	154
SATUARIO LUXE - BEYOND	153
GOZZIO BEIGE	157
LEGACY GREY	155
LEGACY MARFIL	156
PAVIT GREY	154
SATUARIO LUXE	153

MARBLETECH

DONATO BEIGE (M-TECH)	159
FABIANO BEIGE (M-TECH)	160
KASHMIR SNOW (M-TECH)	164





PREMIUM POLISH

COSMO BLACK

POLISH	
BALBUA BEIGE	167
CALIFORNIA CREMA	169
EDNA MARFIL	166
ENZO TAUPE	170
FANTASY WHITE	162
ICE ONYX	163
KASHMIR SNOW	164
SAVINO MARFIL	165
SILVIA BEIGE	168

MATT

RESINO GREY	17 1
ZURICH MARFIL	172
ZURICH MIST	17 1

285X1800 MM


WOOD


ELEGANZA MAHOGANY	175
LEGANZA TEAK	175
LEGANZA WENGE	175
OSSIL WOOD	177
WESTWOOD CEDAR	177
WESTWOOD OAK	177



TRANSPORTATION, HANDLING AND STORAGE OF ULTIMA SLAB


When transporting the Ultima slabs, they must be secured properly to avoid storage problems. If the tiles are transported over a short distance, the Ultima slabs should be kept vertically in the vehicle and at back side of slabs there should be proper packing or ply to avoid breakage. If the tiles are transported over a longer distance, they should be kept on an A shape frame, as shown in Fig A and B. With this method, we can avoid any breakage of slabs during transit.







MANUAL HANDLING OF ULTIMA SLAB

When handling Ultima slabs manually, the primary tool used is the regular suction cup (Fig. A and B). Using these, workers can shift the tiles easily.









If the surface of the slab is textured, the best way to handle the Ultima slabs manually is by using a Large Format Tile (LFT) Carrier System (Fig. C) with suction cups that hold the tile from all four sides. By using this method, workers can lift or shift the tiles easily without any damage and will require the manpower of two people.




Fig. F

STORAGE

The Ultima slabs should be stored on A shape frame, made up of wood or steel with rubber lining, as shown below.




LAYING & FIXING

a) The Ultima slabs are very heavy, large-sized, and have sharp edges. So, it is important for the people transporting the tiles to wear protective gear like gloves during transportation. We also recommend the use of double or triple suction cups for a firm grip of the tile while ensuring the safety of the operator. Before transporting the tile, it should be thoroughly cleaned to get rid of any dust or moisture and make sure that the grip of the tile is not compromised. Then the suction cups should be placed on the face of the tile and be checked for how well they are stuck to the surface before lifting the tile.

To handle the large-sized slabs like Ultima slabs, we recommend using a special LFT carrier system with four suction cups.

- b) The following points should be considered while laying the Ultima slabs:
 - 1. The subfloor or the laying surface should be prepared properly before laying the Ultima slabs. The laying surface should be rigid, non-flexing, and capable of supporting the expected load with minimal or no deflection.
 - 2. A leveled subfloor is extremely important to keep the Ultima slabs from cracking.
 - 3. Provision of proper curing for the subfloor, for around 24 to 48 hours before tiling work.

For internal or external application, it is essential to select the appropriate cement-based, fiber-reinforced or ready-mixed adhesive to ensure that the Ultima slabs are properly fixed.






Fig. I

- 4. Once the subfloor is clean and ready, the adhesive should be spread evenly covering the entire area using a 10x10mm square notch trowel (Fig. G). The adhesive should cover 5cm to 10cm more than the size of the Ultima slabs. The adhesive should always be applied in stripes running parallel with the short edge to remove any air pockets or bubbles.
- 5. The Ultima slabs require back-buttering due to their large format. Back-buttering means applying a layer of adhesive at the back of the tile using a trowel (Fig. I). The Ultima slabs should be fixed on a handing frame with the use of suction cups in a vertical position, as shown in Fig. C.
- 6. To apply adhesive on the laying surface, a 10×10mm square notch trowel should be used whereas a 5×5mm square notch trowel should be used for back-buttering.
- 7. After fixing the Ultima slabs on a handing frame with the use of suction cups in a vertical position, it should be lowered slowly into a horizontal position and firmly pressed into the adhesive along with a surface vibrator or a rubber mallet.
- 8. Use a levelling system to avoid lippage and give a smooth and even surface at every joint. Levelling systems are available from 1mm to 10mm.
- 9. A closer system can be used to close the tiles nearer to each other and shift the tile slightly up and down at the time of fixing.
- 10. The backs of the slabs must be regularly checked to make sure that there is full contact between the adhesive and the tile surface. If a hollow sound is heard during fixing, the tile should be lifted again and provided with extra adhesive at that particular area to give proper strength to the tile.
- 11. After completing the tiling work, it is recommended to put a protection sheet on tiles until the completion of all civil work. It is recommended that the grouting work be done at the very last, after completing all civil work. We can use sanded grouts with hardener or epoxy grout, depending on the area of usage or as per instructions of the site in-charge.






TILE CUTTING

Mark the portion to be cut out from the ends of the Ultima slab using a pencil. Then, properly position the cutting guide with a cutting carriage so that the references on the guide coincide with the lines marked on the slab. Lock the cutting. Guide with the cutting carriage in place using the suction cups. It is vital to keep the pressure and movement of the cutting carriage constant along the whole length of the cut to ensure correct scoring.

Score one end of the slab by 15cm pushing the cutting carriage towards the edge of the slab. Complete the scoring up to the opposite end of the slab.



CLEANING

CLEANING AFTER LAYING

After laying the Ultima slabs on the floor or wall, it should be cleaned well to remove any residual grouting and the normal dirt acquired from building works.

A cementitious de-scaler can be used for cleaning the joints, as it is mildly acidic and does not emit harmful fumes, ensuring the safety of the user. In case of material laid with epoxy or resinous grouting, it is recommended to clean after laying with specific detergent or tile cleaner.



REGULAR MAINTENANCE

To clean the floor thoroughly, we recommend using a natural detergent with high cleaning power. In case of strong dirt that gets encrusted with time, we recommend consulting the following ways to find the perfect solution to every situation:

TYPE OF DIRT	PRODUCT
Cement, Metal tracer, rust	Cementitious descaler
Residuals, stains and halos of epoxy joints	Epoxy descaler
Grease, tire marks, colours, markers etc.	Non soap degrease
Graffitis	Acetone and anti-graffitis

RECOMMENDATIONS

Drying Process

Once the tiles have been grouted and the excess grout has been cleaned off, it is important to wait till the tiled surface is dried completely before cleaning. The recommended waiting time is 5 days, before cleaning or using the tiled surface.

Protecting from Liquid

The newly tiled surface must be protected from water and moisture while the adhesive and grouting materials are maturing and hardening. This is particularly important for outdoor spaces and areas, where there is a risk of freezing.

Damage Prevention

It is important to protect the newly tiled surface against mechanical or chemical damage resulting from subsequent work carried out by other professionals or due to later installations. Damage can be prevented by covering the floor tiles with thick cardboard or similar material.

Cleaning Products

For the final cleaning of the tiled surface, the products used should be compatible with the chemical resistance of the tiles. Avoid using solid detergents with abrasive particles and solutions containing hydrofluoric acid, which attacks the glaze and causes irreversible damage to the vitrified tile.

PACKING DETAILS


DIMENSIONS (MM)	NO. OF SLABS/BOX	COVERAGE AREA
1200x1800	02	4.32 M ²
1200x1200	02	2.88 M ²
285x1800	02	1.02 M ²

TECHNICAL SPECIFICATIONS

		* IS 15622:2017, *EN 14411:2016		
S.No	Technical Characteristics	& ISO 13006:2018 Group Bla (Annex G) Standard's Requirement	Kajaria Eternity Tile's Specifications	Test method
1.	Deviation in length & width	± 0.1 % ± 0.6 %/ ± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
2.	Deviation in thickness	± 5.0 %	± 4.00 %	IS 13630-1 EN ISO 10545-2
3.	Deviation in Straightness of sides	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
4.	Deviation in Rectangularity	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
5.	Deviation in Surface Flatness	± 0.5 % ± 0.5 %/± 0.4 %	± 0.15 %	IS 13630-1 EN ISO 10545-2
5.	Surface quality	95% of the tiles shall be free from visible defects	95% of the tiles shall be free from visible defects	IS 13630-1 EN ISO 10545-2
7.	Modulus of rupture	Avg. 35 N/mm2, individual Min 32 N/mm2	≥ 40 N/mm²	IS 13630-6 / EN ISO 10545-4
3.	Breaking strength	Minimum 1300 N	≥ 2000 N	IS 13630-6 / EN ISO 10545-4
9.	Bulk Density	Minimum 2.20 g/cc	≥ 2.25 g/cc	IS 13630-2
LO.	Glossiness	Manufacture to state the class	Min 5 for Rustic/Matt/Satin Finish Min 90 for Polish Finish	Glossimeter 60 degrees
11.	Water Absorption	≤ 0.08 %, Individual Max 0.1% ≤ 0.5 %, Individual Max. 0.6 %	≤ 0.08 %, Individual Max 0.1% ≤ 0.3 % (Only for 13x80 cm)	IS 13630-2 / EN ISO 10545-3
12.	Resistance to surface abrasion of Glazed tiles	Minimum Class II Report abrasion class and cycles passed	PEI-Class III to Class IV	IS 13630-11 EN ISO 10545-7
13.	Thermal expansion from ambient temperature to 100 ° C	Test method available	6x10 ⁻⁶ K ⁻¹ Maximum	IS 13630-4 EN ISO 10545-8
L4.	Thermal shock resistance	10 cycles Minimum Test method available	10 cycles Minimum	IS 13630-5 EN ISO 10545-9
15.	Moisture expansion	Maximum 0.02 Millimeter/Metre Test method available	- Nil -	IS 13630-3 EN ISO 10545-10
L6.	Crazing resistance (Glazed Tiles)	Passes 4 cycles at 7.5 kg/cm2 Required	Passes 4 cycles at 7.5 kg/cm ²	IS 13630-9 EN ISO 10545-11
17.	Frost resistance	Required	100 cycles Minimum	IS 13630-10 EN ISO 10545-12
L8.	Resistance to Household Chemicals & Swimming Pool Salts #	Minimum Class AA Minimum GB	Minimum Class AA Minimum GB	IS 13630-8 EN ISO 10545-13
L9.	Resistance to low & high concentration of acids & alkalis #	Manufacturer to state classification	Minimum Class AA Minimum GLB,GHB	IS 13630-8 EN ISO 10545-13
20.	Stain resistance**	Minimum Class 1 Minimum Class 3	Minimum Class 1 Minimum Class 3	IS 13630-8 EN ISO 10545-14
21.	Slipperiness	Test method available	≥ R-9 to R-10 for Rustic/Matt/Satin Finish ≥ R-9 for Polish Finish	DIN 51130:2014
22.	Co-efficient of friction	Manufacture to state the class	≥ 0.32 for Rustic/Matt/Satin Finish > 0.20 for Polish Finish	ISO 10545-17
23.	Scratch hardness of surface(Moh's scale)	Minimum 5 Test method available	Min 6 for Rustic/Matt/Satin Finish Min 5 for Polish/Marbletech Finish	IS 13630-13 EN 101
24.	Impact Resistance	Minimum 0.55 Test method available	Min 0.55 & No identification of cracking	IS 13630-14 EN ISO 10545-5

Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)

- * Applicable in Gailpur plant only.
- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.



Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue.
The company will not bear any loss in such case.



EXPERIENCE CENTRE

North

CHANDIGARH:

SCO-8,1st floor, Sector 7C, Madhya Marg, Chandigarh-160019 Phone: +91-172- 4631417 Mobile: 9779021253, 9779021262

JAIPUR:

G-1, G-2, Aishwarya Tower, Near Hotel Hawa Mahal, Ajmer Road Jaipur-302005, Rajasthan Phone - +91-141 2223425, 9799495766

LUCKNOW:

7, Tajpuria palace, Faizabad Road, Indira Nagar, Lucknow, Uttar Pradesh Mobile: 9717795204,9956252777

South

BANGALORE:

Farah Icon, 119 2nd Floor, Opp. New Pass Port Kendra, Lalbagh Road, Bangalore-560027, Karnataka Mobile: 9008402949, 9008016799

CHENNAI:

Old No.10, New No.46, Montieth Road Above Wait Rose Super market Egmore, Chennai – 600008. Mobile: 9791178678, 9952094333

COIMBATORE:

1st Floor, No.57, Cowley Brown Road, Near Central Library, R.S. Puram Coimbatore - 641002. Mobile: 9629944454, 9677708080

COCHIN:

Door No. 48/557-C, MN Square Near Gold Souk, NH By-Pass, Vyttila, Cochin 682019, Kerala Mobile: 9995868863, 9746473684, 7303663188

HYDERABAD:

#3 - 143, 1st Floor, Nirvana Building, Kavuri Hills, Police Station Opp.Road, Madhapur Hyderabad - 500081, Telangana Mobile: 9000304996, 9000304992, 9000005383, 7680000890, 9000304997, 9100062713, 8287905851

West

MUMBAI:

Ground & 1st Floor, Suraksha Ace, Near JB Nagar Metro Station, Andheri Kurla Road, Chakala, Andheri (East), Mumbai - 400059 Mobile: 8968586560, 9987789500

PUNE:

2nd Floor, Grace Platina, Opp.Kumar Pacific Mall, Shankar Seth Road,Pune - 411042 Mobile: 9730088497, 9730088498

Sales Representative

<u>NORTH</u>

GURGAON: Mobile: 9971744115, 9717795210, 9717795205

NOIDA:

Mobile: 9717795156, 9717795200, 9717795205

DELHI & FARIDABAD:

Mobile: 9560553304, 9717795029, 9717795192

KUMAON:

Mobile: 7755001348, 7755001349, 9717795202

WESTERN UP:

Mobile: 9717795202, 8800093020, 7755001348

HARYANA:

Mobile: 8295200155, 8295200410

DEHRADUN:

Mobile: 7755001347, 9717795202 7755001346

LUDHIANA:

Mobile: 9779021270,9779021267, 9779021264,9779021255

HIMANCHAL PRADESH:

Mobile: 9779027169, 9779021253

JAMMU & KASHMIR: BILASPUR:

Mobile: 9906906622, 9086411081 Mobile: 7898028779,9981528088

BHOPAL:

INDORE:

WEST

GOA:

NASIK:

7028030538

AHMEDABAD:

NAGPUR:

AURANGABAD:

Mobile: 7028018708

Mobile: 9981528092

Mobile: 9630025576, 9981528089

Mobile: 8600992620, 9730088497

Mobile: 8600992620, 9730088497,

Mobile: 9998804440, 8511581725

Mobile: 9987538689, 9730088497

VARANASI:

Mobile: 9794865554, 9005095500

<u>EAST</u>

ASSAM:

Mobile: 9311299711, 9903234184

BIHAR:

Mobile: 9771458963,9892408080

JHARKHAND:

Mobile: 9934011406, 8882918981

ORISSA: Mobile: 9937185338, 9937285865,

8882918983

WEST BENGAL / KOLKATA:

Mobile: 9007011022, 9007011028, 9007062814

CENTRAL

CHHATTISGARH:

Mobile: 9981528088

RAIPUR:

Mobile: 9758598467,9981528088

SOUTH

ANDHRA PRADESH: Mobile: 9000300790, 8287905851

VIJAYWADA:

Mobile: 7827993473, 9000300790

CALICUT:

Mobile: 7303663188

HUBLI: Mobile: 9008017863

MADURAI:

MOBILE: 8595903618

MANGALORE:

MOBILE: 9900075960

PONDICHERRY:

MOBILE: 9677255644

TRIVANDRUM:

MOBILE: 9995868863

^{**} Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

