

Kajaria


platinum
collection

NEW TRENDS IN 30X60 CM


HD MATT

STONEKRAFT



Impressions

DIGITAL

Ceramic Wall & Floor Tiles



NEW TRENDS IN 30X60 CM



Kajaria



NEW TRENDS FOR TEXTURES & DESIGN

Introducing NEW TRENDS, Kajaria's latest platinum collection in 30X60 CM. These ceramic wall and floor tiles emanate astounding grandeur along with a bold style statement.

The new assortment of tiles boast of a wide range of spectacular designs which will provide magnificence of space along with an urban and chic touch. They come in literally new trends like, HD Matt- floor body tiles ranging from minimalistic to over-the-top; StoneKraft- an exterior tile engineered for optimal durability; Impressions- stunning designs highlighted with Spanish applications producing special effects; and Digital- coming in gloss and satin touch/finish which heighten visual interest with a tactile appeal. In addition to having an exceptional interplay of refined opulence and unparalleled craftsmanship, these tiles not just display the latest trends in styling your spaces, but also portray your personality. As a result of comprehensive research backed by stringent quality processes, these tiles stand for immaculate strength and reliability, while beautifying your spaces, perfectly.





platinum
collection

NEW TRENDS IN 30X60 CM

INDEX

| DIGITAL | |
|------------------------|-------|
| CONCEPT ANTIBES | 08 |
| CONCEPT ARALIA | 08-10 |
| CONCEPT CARDIFF | 12 |
| CONCEPT CELESTE | 12 |
| CONCEPT CORAL REEF | 16 |
| CONCEPT FLORA STONE | 16 |
| CONCEPT GAUDI | 18 |
| CONCEPT GLASS MOSAIC | 18 |
| CONCEPT HAGUE | 20 |
| CONCEPT ICELAND BIANCA | 20 |
| CONCEPT LAKE COMO | 24 |
| CONCEPT LEAVES | 24 |
| CONCEPT MELBOURNE | 28 |
| CONCEPT MT. FUJI | 30 |
| CONCEPT PALOMA | 30 |
| CONCEPT RYTHYM | 34 |
| CONCEPT SANTORINI | 34 |
| CONCEPT SNOW WHITE | 38 |
| CONCEPT TREVİ | 38 |

| <i>Impressions</i> | |
|----------------------------------|-------|
| CONCEPT AQUARIUS | 42 |
| CONCEPT BUCHAREST | 42 |
| CONCEPT CELEBRATION | 44 |
| CONCEPT DAVINCI | 44 |
| CONCEPT MAPLE LEAVES | 48 |
| CONCEPT SPRING LEAVES | 46 |
| STONEKRAFT | |
| CONCEPT BRICKVILLA | 52 |
| CONCEPT CITY STONE | 54 |
| CONCEPT COBBLE STONE | 56 |
| CONCEPT GIZA STONE | 60 |
| CONCEPT KONARK STONE | 60 |
| CONCEPT WATERFALL | 64 |
| HD MATT | |
| CONCEPT BASSWOOD | 68 |
| CONCEPT LIGNITE / ROCK STAR | 68-70 |
| CONCEPT LIGNITE / FRENCH RIVIERA | 74 |

| HD MATT | |
|-------------------------------|-------|
| CONCEPT LIGNITE / MOSAIC | 76-78 |
| CONCEPT LIGNITE / NILE | 80 |
| CONCEPT AGATE / DCS 6016 | 82 |
| CONCEPT NEXON / DCS 6017 | 82 |
| CONCEPT HOBART / DCS 6018 | 84 |
| CONCEPT TRAVERTINO / DCS 6019 | 84 |
| CONCEPT VALLETTA / DCS 6020 | 86 |
| CONCEPT TRUFF / DCS 6021 | 86 |
| CONCEPT AVENUE / DCS 6022 | 88 |
| CONCEPT OPAL / DCS 6023 | 88 |
| CONCEPT CRISTOPHER / DCS 6024 | 90 |
| CONCEPT AVENUE | 90 |
| CONCEPT CRISTOPHER | 92 |
| CONCEPT HOBART | 92 |
| CONCEPT NEXON | 94 |
| CONCEPT OPAL | 94 |
| CONCEPT TRAVERTINO | 98 |
| CONCEPT TRUFF | 98 |
| CONCEPT VALLETTA | 99 |



DIGITAL

Ceramic Wall Tiles

30x60 cm dimension presents a modern style to create urban elegance to your space. Adding to its versatility in design and texture, it comes in gloss and satin finish which gives it a heightened visual interest with a tactile appeal. Serving as an ideal complement to contemporary designs and visually appealing decor, it will create a breathtaking impression and makes sure to set you ahead of the curve.






ANTIBES BIANCA

SM



ANTIBES DÉCOR

SM




ANTIBES GRIS

SM



ANTIBES GRIS

SM



ARALIA GRIS

M



ARALIA GRIS DÉCOR

M



ARALIA GRIS


SM





ARALIA MARFIL

M



ARALIA MARFIL DÉCOR

M



ARALIA MARFIL

SM



ARALIA SILVER

M



ARALIA SILVER DÉCOR

M



ARALIA SILVER

SM






CARDIFF MARFIL

M



CARDIFF DÉCOR

M



CARDIFF RUST

M



CARDIFF RUST

SM



CELESTE SKY BLUE

G



CELESTE KITCHEN DÉCOR

G



CELESTE SKY BLUE

SM



SERIE
DIGITAL
Ceramic Wall Tiles




Kajaria





CORAL REEF BIANCA

M



CORAL REEF DÉCOR

M



CORAL REEF AQUA

M



CORAL REEF AQUA

SM



FLORA STONE MARFIL

M



FLORA STONE DÉCOR

M



FLORA STONE RUST

M



FLORA STONE RUST

SM





GAUDI BIANCA

G




GAUDI DÉCOR

G



GAUDI AQUA

G




TORONTO BLANCO

SM




GLASS MOSAIC BIANCA

G



GLASS MOSAIC DÉCOR


G



TORONTO BLANCO

SM






HAGUE MARFIL

G



HAGUE DÉCOR

G




HAGUE RUST

G




HAGUE RUST

SM



ICELAND BIANCA

G



TORONTO BLANCO

SM



SERIE
DIGITAL
Ceramic Wall Tiles



Kajaria






LAKE COMO BIANCA

G




LAKE COMO DÉCOR

G



LAKE COMO BLUE

G



LAKE COMO BLUE

SM




LEAVES BIANCA

G



LEAVES DÉCOR

G



TORONTO BLANCO


SM



SERIE
DIGITAL
Ceramic Wall Tiles







MELBOURNE CARAMEL

M




MELBOURNE CARAMEL DÉCOR

M



MELBOURNE CARAMEL

SM



MELBOURNE SILVER

M



MELBOURNE SILVER DÉCOR


M



MELBOURNE SILVER

SM






MT. FUJI MARFIL

M




MT. FUJI DÉCOR

M




MT. FUJI BEIGE

M



MT. FUJI BEIGE

SM




PALOMA SILVER

M




PALOMA DÉCOR

M



PALOMA SLATE

M



PALOMA SLATE

SM



SERIE
DIGITAL
Ceramic Wall Tiles




Kajaria






RYTHYM BIANCA

G



RYTHYM DÉCOR

G



TORONTO BLANCO

SM



SANTORINI MARFIL

M



SANTORINI DÉCOR

M



SANTORINI COPPER

M



SANTORINI COPPER

SM



SERIE
DIGITAL
Ceramic Wall Tiles





SERIE
DIGITAL
 Ceramic Wall Tiles

30x60 cm




SNOW WHITE

G



SNOW WHITE KITCHEN DÉCOR

G




TORONTO BLANCO

SM



TREVI CAFE

M



TREVI MOSAIC DECOR

M



TREVI CAFE

SM

SM SATIN MATT G GLOSSY M MATT





Impressions

Tiles with special effects

Impression wall tiles are versatile and have decorative design elements which help you flaunt your imagination and envisage your style statement on the walls. Stunning designs highlighted with unique Spanish applications produce special effects on the tiles. The tactile 3D engravings on the tiles use sugar and reactive inks which add to the perfect sheen and aura of Impression wall tiles.

Kajaria




Concept Aquarius Sky

SERIE


Impressions
Tiles with special effects

30x60 cm



AQUARIUS SKY BLUE

S



AQUARIUS DÉCOR

S



AQUARIUS SKY BLUE
30x30 CM

SM



BUCHAREST BIANCA

S



BUCHAREST DÉCOR

S



BUCHAREST BIANCA

SM

SM SATIN MATT S SUGAR



SERIE

Impressions
Tiles with special effects

30x60 cm



CELEBRATION CREMA

S




CELEBRATION DÉCOR

S



CELEBRATION CREMA

SM




DAVINCI GRIS

S



DAVINCI DÉCOR

S



DAVINCI GRIS

SM

SM SATIN MATT S SUGAR



SERIE

Impressions
Tiles with special effects

30x60 cm



SPRING LEAVES BEIGE

R




SPRING LEAVES BEIGE DÉCOR

R



SPRING LEAVES BEIGE

SM




SPRING LEAVES GRIS

G



SPRING LEAVES GRIS DÉCOR

G



SPRING LEAVES GRIS

SM


SM SATIN MATT G GLOSSY R REACTIVE



SERIE

Impressions
Tiles with special effects

30x60 cm



MAPLE LEAVES BIANCA

S



MAPLE LEAVES DÉCOR

S



MAPLE LEAVES BIANCA

SM


SM MATT S SUGAR





STONEKRAFT

Premium Elevation Tiles



With beauty grounded in strength, the 30x60 cm Floor Body Exterior Tiles is engineered for optimal durability. Having a modern take on a classic stone look, it exhibits a stylish demeanour which makes your walls look impressive and alluring. Solid design and resilient performance makes it ideal for exterior applications.



Kajaria



SERIE

STONEKRAFT
Premium Elevation Tiles



30x60 cm



BRICKVILLA NATURALE

M



BRICKVILLA RUST

M

M MATT





CITY STONE COTTO



CITY STONE NATURALE




CITY STONE RUST







COBBLE STONE BIANCA



COBBLE STONE SLATE





SERIE
STONEKRAFT
Premium Elevation Tiles



Kajaria



SERIE
STONEKRAFT
Premium Elevation Tiles



30x60 cm



GIZA STONE BEIGE

M



GIZA STONE RUST

M



KONARK STONE

M

M MATT



SERIE

STONEKRAFT

Premium Elevation Tiles





SERIE
STONEKRAFT
Premium Elevation Tiles



30x60 cm



WATERFALL GRAPHITE



WATERFALL NATURALE



WATERFALL SAND



MATT





HD MATT

Ceramic Wall & Floor Tiles

FLOOR BODY



With our unfailing commitment to technological advancement and continuous enhancement, Kajaria always stays ahead of latest global trends. In this endeavour to provide unique solutions, we are presenting 30x60 cm HD MATT Floor Body Tiles. Each and every tile is an epitome of creativity and individually effective. Ranging from minimalistic to over-the-top, this wall & floor tile collection is both eclectic and stunning. Our incredible matching highlighter collection is sure to make your walls come to life.




Kajaria



Concept Lignite / Rock Star



BASSWOOD OAK




BASSWOOD OAK DÉCOR




BASSWOOD SILVER



BASSWOOD SILVER DÉCOR



LIGNITE BIANCA



ROCK STAR BIANCA DÉCOR



LIGNITE GRIS



ROCK STAR GRIS DÉCOR








LIGNITE MARFIL



ROCK STAR CAFÉ DÉCOR



LIGNITE CAFÉ



LIGNITE MARFIL



ROCK STAR MARFIL DÉCOR



LIGNITE SLATE



ROCK STAR SLATE DÉCOR







SERIE
HD MATT
Ceramic Wall & Floor Tiles







LIGNITE BIANCA



FRENCH RIVIERA BIANCA DÉCOR



LIGNITE MARFIL




FRENCH RIVIERA CAFE DÉCOR



LIGNITE CAFÉ



LIGNITE GRIS




FRENCH RIVIERA GRIS DÉCOR








LIGNITE GRIS



MOSAIC GRIS DÉCOR




LIGNITE MARFIL



MOSAIC MARFIL DÉCOR








LIGNITE BIANCA



MOSAIC BIANCA DÉCOR




LIGNITE SLATE



MOSAIC SLATE DÉCOR








LIGNITE BIANCA



NILE BIANCA DÉCOR



LIGNITE GRIS



NILE GRIS DÉCOR



LIGNITE MARFIL




NILE MARFIL DÉCOR








WHITE AGATE MATT



BLACK AGATE MATT



DCS 6016



NEXON BIANCA MATT



NEXON AZUL MATT



DCS 6017







HOBART CEMENT MATT



HOBART GRIS MATT



DCS 6018



TRAVERTINO IVORY MATT




TRAVERTINO NOCE MATT




DCS 6019







VALLETTA BIANCA MATT



VALLETTA GRIS MATT



DCS 6020



TRUFF BIANCA MATT



TRUFF GRIS MATT



DCS 6021








AVENUE MARFIL MATT



AVENUE RUST MATT



DCS 6022



OPAL IVORY MATT



OPAL BRONZ MATT



DCS 6023








CRISTOPHER MARFIL MATT



CRISTOPHER OLIVE MATT




DCS 6024



AVENUE MARFIL MATT



AVENUE RUST MATT



AVENUE DECOR MATT







CRISTOPHER MARFIL MATT



CRISTOPHER OLIVE MATT



CRISTOPHER DECOR MATT



HOBART CEMENT MATT



HOBART GRIS MATT



HOBART DECOR MATT








NEXON BIANCA MATT



NEXON AZUL MATT



NEXON DECOR MATT



OPAL IVORY MATT



OPAL BRONZ MATT



OPAL DECOR MATT






SERIE
HD MATT
Ceramic Wall & Floor Tiles







TRAVERTINO IVORY MATT



TRAVERTINO NOCE MATT



TRAVERTINO DECOR MATT



TRUFF BIANCA MATT




TRUFF GRIS MATT




TRUFF DECOR MATT





VALLETTA BIANCA MATT



VALLETTA GRIS MATT



VALLETTA DECOR MATT



NORTH

CHANDIGARH :

SCO 17, 1st Floor
Sector-7C , Madhya Marg, Chandigarh.
Phones : 91-172-4631418, 4631415
Mob.: 9779525581, 8448188918
E-mail : chandigarh@kajariaceramics.com

DEHRADUN :

485, Dharampur, Haridwar Road, Dehradun
Phone : 0135-2675329
Mob.: 09760044701, 9760017359
E-mail : dehradun@kajariaceramics.com

DELHI :

J1/B1 (Extn.), Mohan Co-op Industrial Estate,
(Opp. Badarpur Thermal Power Station),
Mathura Road, Badarpur, Delhi - 110044
Phone : +91-11-26946409
Mob.: 9717795086
Fax : 91-11-26946407
E-mail : info@kajariaceramics.com

JAMMU :

Satyam Road, Trikuta Nagar,
Jammu - 180012, Jammu and Kashmir
Phone - +91-191 247 6300
Mob.: 9086012667

JAIPUR :

Ground Floor, Nidhi Kamal Tower,
Plot No 37-38 B, Barwara House,
Ajmer Road, Jaipur - 302006, Rajasthan
Phone : 0141-2222955, 2220244
Mob.: 09799495769, 9799495768, 9799495765
E-mail : jaipur@kajariaceramics.com

LUCKNOW :

Plot No. 48 & 51, Shop/ CC, Tara Market,
Sanjay Gandhi Puram, Faizabad Road
Lucknow - 206016 (U.P.)
Phone : +91-522-4029181 / 4024516
Mob.: 9936195455, 9793565551
E-mail : lucknow@kajariaceramics.com

LUDHIANA :

Dhanraj Complex, Fourth Floor,
Above Oriental Bank of Commerce,
Near PAU Gate No. 2, Ferozpur Road
Ludhiana-141001, Punjab
Phone : +91-161-4649002
Mob.: 9779021251
E-mail : ludhiana@kajariaceramics.com

VARANASI :

Varanasi Trade Centre, Plot No.154/2A,
1st Floor, Near Income Tax Office
Maqbool Alam Road, Varanasi- 221002
Phone : 0542-2500483
Mob.: 9005092401
E-mail : varanasi@kajariaceramics.com

EAST

KOLKATA :

Tirupati Plaza, 2nd Floor 74/2, Acharya Jagdish,
Chandra Bose Road, Kolkata- 700016, West Bengal
Phone : 033-40231111
Mob.: 9007011030
Fax- 033-22268952
E-mail : kol@kajariaceramics.com

CENTRAL

INDORE :

15/2, Meera Path Colony,
Opp. New Railway Station,
Near BSNL Office, Indore - 452001
Phone : 0731-4068839 / 03
Mob.: 9589534949
E-mail : indore@kajariaceramics.com

RAIPUR :

Godhariwala Complex,
Near Ashoka Millennium Ring Road No.1,
Above Nexa Showroom, Raipur, Chhattisgarh
Phone : +91-9752593472
E-mail : raipur@kajariaceramics.com

WEST

AHMEDABAD :

16-30, 2nd Floor, Agarwal Mall,
Opp. Sola Bhagwat Vidhyapith,
SG Highway, Ahmedabad-380060
Phones : 079-65432853
Fax : 079-27660064
E-mail : ahm@kajariaceramics.com

MUMBAI :

B1 - 307, Boomerang, Chandivali Farm Road,
Near Chandivali Studio, Off Saki-vihar Road,
Andheri (E), Mumbai – 400072
Phone : 022-61433100
Fax : 022-61433111
E-mail : mum@kajariaceramics.com

PUNE :

301 & 601-A, DSK Gandharv Heights,
Ganesh Khind Road, Shivaji Nagar
Pune - 411005, Maharashtra
Phone: +91-20-66471600
E-mail : pune@kajariaceramics.com

AURANGABAD :

Plot no 300,10/3 N-3,
Opp. Ramgiri Hotel, Jalna Road,
Sidco, Aurangabad-431003, Maharashtra
Phone: +91-240-2486655
E-mail : aurangabad@kajariaceramics.com

NAGPUR :

Prathmesh Raja Apartment
Above Bank of Baroda, Unthkhana Road,
Medical Square, Nagpur-440009 (M.H.)
Phone : 0712-2755440
E-mail : Nagpur@kajariaceramics.com

SOUTH

BANGALORE :

Farah Icon, 119 First Floor,
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore – 560 027, Karnataka
Phones : 08041440019 / 20 / 30
Fax : 08041440028

COCHIN :

MN Square, 2nd Floor, 549/2,
Near Gold Souk Grande
NH Bypass, Vyttila, Cochin- 19, Kerala
Phones : 0484-2912000
E-mail : coc@kajariaceramics.com

HYDERABAD :

Uma Aishwarya House, H.No 8-2-502/1/AG,
Road No. 7, Banjara Hills,
Hyderabad - 500034, Telangana
Phone : 040 - 66106058
E-mail : hyderabad@kajariaceramics.com

CHENNAI :

Fagun Chambers, Old No: 7,
New No: 26A/2, 1st Floor, Ethiraj Salai,
Egmore , Chennai - 600008, Tamil Nadu
Phones : 044-42691094/ 28264990
E-mail : chn@kajariaceramics.com

COIMBATORE :

1st Floor, 57, Cowley Brown Road,
Near Central Library, R.S.Puram ,
Coimbatore - 641002, Tamil Nadu
Phones : 0422-4350801/4350803
E-mail : coimbatore@kajariaceramics.com

VIJAYWADA

61-3/4-1, 1st Road, Geetha Nagar,
Beside SBI Bank, NH-5,
Balaji Nagar, Krishna Lanka
Vijaywada-520013, (Andhra Pradesh)
Mob.: 9000015173, 9000005389

SALES REPRESENTATIVE

NORTH

FARIDABAD

Mob.: 9717795098

KARNAL

Mob.: 9996607982

HISAR

Mob.: 7011998506

ROHTAK

Mob.: 8295200462

GURGAON

Mob.: 9717795082

NOIDA

Mob.: 9773983598

AGRA

Mob.: 9760045524

KANPUR

Mob.: 9793371110

GORAKHPUR

Mob.: 9005092404

ALLAHABAD

Mob.: 9519548822

HALDWANI

Mob.: 9760017769

HARIDWAR

Mob.: 9760035311

BAREILLY

Mob.: 9760005961

GHAZIABAD

Mob.: 9717795215

AMRITSAR

Mob.: 9779021275

BHATINDA

Mob.: 9779021260

SRINAGAR

Mob.: 9906750123, 9906757053

UNA

Mob.: 8894980642

SHIMLA

Mob.: 9805794531

CENTRAL

BHOPAL

Mob.: 9752593464

GWALIOR

Mob.: 9752593466

JABALPUR

Mob.: 9752593461

EAST

PATNA

Mob.: 9334791993

BHUBNESWAR

Mob.: 9937281222

RANCHI

Mob.: 9934303893, 9934361353

NORTH-EAST STATES

Mob.: 9854051719

SPECIFICATIONS















| Work Size | | Pieces/Box (nos.) | Coverage/Box (sq.mtrs.) | Weight/Sq. Mtr. (kgs.) |
|--------------------|-------------------|----------------------|----------------------------|---------------------------|
| Dimensions (in mm) | Thickness (in mm) | | | |
| 300x600 (HD MATT) | 9.8 | 05 | 0.90 | 21.11 |

CERAMIC TILES TECHNICAL SPECIFICATION - ISO Standard 13006:2012 & IS 15622:2017

| S.No. | TEST DESCRIPTION | ISO STANDARD 13006:2012 | IS 15622 :2017 | KAJARIA STANDARD | STANDARD TEST METHOD |
|-------|---|---|---|---|----------------------------------|
| 1 | Deviation in length & Width | Max. \pm 0.60% | Max. \pm 0.10% | Max. \pm 0.10% | ISO 10545-2 IS 13630 Part 1 |
| 2 | Deviation in Thickness | Max. \pm 5.0% | Max. \pm 5.0% | Max. \pm 4.0% | ISO 10545-2 IS 13630 Part 1 |
| 3 | Deviation in Straightness of Sides | Max. \pm 0.50% | Max. \pm 0.10% | Max. \pm 0.10% | ISO 10545-2 IS 13630 Part 1 |
| 4 | Deviation in Rectangularity | Max. \pm 0.50% | Max. \pm 0.10% | Max. \pm 0.10% | ISO 10545-2 IS 13630 Part 1 |
| 5 | Surface Flatness (Center & Edge curvature) | Max. \pm 0.50% | Max. \pm 0.50% | Max. \pm 0.50% | ISO 10545-2 IS 13630 Part 1 |
| 6 | Warpage | Max. \pm 0.50% | Max. \pm 0.50% | Max. \pm 0.50% | ISO 10545-2 IS 13630 Part 1 |
| 7 | Surface Quality | Min 95% free from visible defects | Min 95% free from visible defects | Min 95% free from visible defects | ISO 10545-2 IS 13630 Part 1 |
| 8 | Water Absorption | 3% < Average \leq 6 % | 3% < Average \leq 6 % | Max - 3.5 % | ISO 10545- 3 IS 13630 Part 2 |
| 9 | Moisture Expansion | Test Method Available | 0.03 mm/m Max | 0.006 mm/m Max | ISO 10545-10 IS 13630 Part 3 |
| 10 | Linear Termal Expansion | Test Method Available | $\leq 9 \times 10^{-6} K^{-1}$ | $\leq 9 \times 10^{-6} K^{-1}$ | ISO 10545-8 IS 13630 Part 4 |
| 11 | Thermal Shock Resistance | 10 Cycle Min | 10 Cycle Min | 10 Cycle Min | ISO 10545-9 IS 13630 Part 5 |
| 12 | Breaking Strength | \geq 1000 N | \geq 1000 N | \geq 1500 N | ISO 10545-4 IS 13630 Part 6 |
| 13 | Modulus of Rupture | Average Min - 22 N/mm ² Individual min - 20 N/mm ² | Average Min - 22 N/mm ² Individual min - 20 N/mm ² | Average Min - 32 N/mm ² Individual min - 30 N/mm ² | ISO 10545-4 IS 13630 Part 6 |
| 14 | Resistance to Chemical | Min Class GB | Min Class AA | Min Class AA | ISO 10545- 13 IS 13630 Part 8 |
| 15 | Resistance to stain | Min Class 3 | Min Class 1 | Min Class 1 | ISO 10545-14 IS 13630 Part 8 |
| 16 | Crazing Resistance | Required | Min. 4 cycles @ 7.5 bar | Min. 4 cycles @ 7.5 bar | ISO 10545-11 IS 13630 Part 9 |
| 17 | Resistance to Surface Abrasion | Report Abrasion Class And cycle passed | Class II Min | Min Class -III | ISO 10545-7 IS 13630 Part 11 |
| 18 | Scratch Hardness (Moh,s scale) | NA | Min 4 | Min 5 | IS 13630 Part 13 |
| 19 | Impact Resistance(COR) | Test Method Available | 0.55 Min | 0.78 Min | ISO 10545-5 IS 13630 Part 14 |
| 20 | Frost Resistance | Test Method Available | Required, if agreed to between manufacturer and purchaser | 100 Cycle Passed | ISO 10545-12 IS 13630 Part 10 |
| 21 | Lead and Cadmium Release | Test Method Available | NA | Cd - <1 ppm , Pb - 52 ppm | ISO 10545-15 |















| Work Size | | Pieces/Box (nos.) | Coverage/Box (sq.mtrs.) | Weight/Sq. Mtr. (kgs.) |
|----------------------|-------------------|-------------------|-------------------------|------------------------|
| Dimensions (in mm) | Thickness (in mm) | | | |
| 300x600 (Digital) | 8.80 | 05 | 0.900 | 14.78 |
| 300x600 (Impression) | 8.80 | 05 | 0.900 | 14.78 |

DIGITAL WALL TILES TECHNICAL SPECIFICATION - EN Standard 14411:2016 B III , ISO Standard 13006:2012 & IS 15622 :2017

| S.No. | Test Description | Standard Test method | EN Standard 14411:2016 | ISO Standard 13006:2012 | IS 15622 :2017 | Kajaria Standard |
|---|---|--------------------------------|-----------------------------------|--|-------------------------------------|-------------------------------------|
|  | 1 Deviation in length & Width | ISO 10545-2/ IS 13630 Part 1 | Max. ±0.50% | Max. ± 0.50% | Max. ± 0.20% | Max. ± 0.20% |
|  | 2 Deviation in Thickness | ISO 10545-2 / IS 13630 Part 1 | Max. ± 10.0% | Max. ± 10.0% | Max. ± 5.0% | Max. ± 5.0% |
|  | 3 Deviation in Straightness of Sides | ISO 10545-2 / IS 13630 Part 1 | Max. ± 0.30% | Max. ± 0.30% | Max. ± 0.15% | Max. ± 0.15% |
|  | 4 Deviation in Rectangularity | ISO 10545-2 / IS 13630 Part 1 | Max. ± 0.50% | Max. ± 0.50% | Max. ± 0.20% | Max. ± 0.20% |
|  | 5 Surface Flatness (Center& Edge curvature) | ISO 10545-2/ IS 13630 Part 1 | Max. +0.50% ,-0.30 % | Max. +0.50% ,-0.30 % | Max. ± 0.30% | Max. ± 0.30% |
| | 6 Warpage | ISO 10545-2 / IS 13630 Part 1 | Max. ± 0.50% | Max. ± 0.50% | Max. ± 0.30% | Max. ± 0.30% |
|  | 7 Surface Quality | ISO 10545-2 / IS 13630 Part 1 | Min 95% free from visible defects | Min 95% free from visible defects | Min 95% free from visible defects | Min 95% free from visible defects |
|  | 8 Water Absorption | ISO 10545- 3 / IS 13630 Part 2 | Average ≥ 10 % | Average ≥ 10 % | Average ≥ 10 % | Average ≥ 10 % |
| | 9 Moisture Expansion | ISO 10545-10 / IS 13630 Part 3 | Declared Value | Test Method Available | 0.04 mm/m Max | 0.01 mm/m Max |
| | 10 Linear Thermal Expansion | ISO 10545-8 / IS 13630 Part 4 | Declared Value | Test Method Available | ≤9X10 ⁻⁶ K ⁻¹ | ≤9X10 ⁻⁶ K ⁻¹ |
|  | 11 Thermal Shock Resistance | ISO 10545-9/ IS 13630 Part 5 | 10 Cycle Min | Test Method Available | 10 Cycle Min | 10 Cycle Min |
|  | 12 Breaking Strength | ISO 10545-4/IS 13630 Part 6 | ≥ 600 N | ≥ 600 N | ≥ 600 N | ≥ 700 N |
|  | 13 Modulus of Rupture | ISO 10545-4 / IS 13630 Part 6 | ≥ 12 N/mm ² | ≥ 12 N/mm ² | ≥ 12 N/mm ² | ≥ 18 N/mm ² |
|  | 14 Resistance to Chemical | ISO 10545- 13 /IS 13630 Part 8 | Min Class A | Min Class GB | Min Class AA | Min Class AA |
|  | 15 Resistance to stain | ISO 10545-14 / IS 13630 Part 8 | Min Class 3 | Min Class 3 | Min Class 1 | Min Class 1 |
|  | 16 Crazing Resistance | ISO 10545-11 / IS 13630 Part 9 | Required | Required | Min. 4 cycles @ 7.5 bar | Min. 4 cycles @ 7.5 bar |
|  | 17 Resistance to Surface Abrasion | ISO 10545-7 / IS 13630 Part 11 | Abrasion Class And cycle passed | Report Abrasion Class And cycle passed | Manufacture to State Classification | Min Class - II |
| | 18 Scratch Hardness (Moh,s scale) | IS 13630 Part 13 | NA | NA | Min 3 | Min 3 |
| | 19 Impact Resistance(COR) | ISO 10545-5 / IS 13630 Part 14 | Declared Value | Test Method Available | 0.55 Min | 0.68 Min |
| | 20 Frost Resistance | ISO 10545-12/ IS 13630 Part 10 | Declared Value | Test Method Available | NA | 100 Cycle Passed |
| | 21 Lead and Cadmium Release | ISO 10545-15 | Declared Value | Test Method Available | NA | Cd - <1 ppm , Pb - 48 ppm |

| Work Size | | Pieces / Box (nos.) | Coverage / Box (sq. mtrs.) | Weight / Sq. Mtr. (kgs.) |
|---------------------------|-------------------|---------------------|----------------------------|--------------------------|
| Dimensions (in mm) | Thickness (in mm) | | | |
| 300x600 STONEKRAFT | 10.8 | 5 | 0.9 | 21.22 |

CERAMIC FLOOR TILES TECHNICAL SPECIFICATION -EN Standard 14411:2016 B IIa , ISO Standard 13006:2012 & IS 15622 :2017

| S.No. | Test Description | Standard Test Method | EN Standard 14411:2016 | ISO Standard 13006:2012 | IS 15622 :2017 | Kajaria Standard |
|---|---|--------------------------------|--|--|--|--|
|  | 1 Deviation in length & Width | ISO 10545-2/ IS 13630 Part 1 | Max. ±0.60% | Max. ±0.60% | Max. ± 0.10% | Max. ± 0.10% |
|  | 2 Deviation in Thickness | ISO 10545-2 / IS 13630 Part 1 | Max. ± 5.0% | Max. ± 5.0% | Max. ± 5.0% | Max. ± 4.0% |
|  | 3 Deviation in Straightness of Sides | ISO 10545-2 / IS 13630 Part 1 | Max. ± 0.50% | Max. ± 0.50% | Max. ± 0.10% | Max. ± 0.10% |
|  | 4 Deviation in Rectangularity | ISO 10545-2 / IS 13630 Part 1 | Max. ± 0.50% | Max. ± 0.50% | Max. ± 0.10% | Max. ± 0.10% |
|  | 5 Surface Flatness (Center& Edge curvature) | ISO 10545-2/ IS 13630 Part 1 | Max. ± 0.50% | Max. ± 0.50% | Max. ± 0.50% | Max. ± 0.50% |
| | 6 Warpage | ISO 10545-2 / IS 13630 Part 1 | Max. ± 0.50% | Max. ± 0.50% | Max. ± 0.50% | Max. ± 0.50% |
|  | 7 Surface Quality | ISO 10545-2 / IS 13630 Part 1 | Min 95% free from visible defects | Min 95% free from visible defects | Min 95% free from visible defects | Min 95% free from visible defects |
|  | 8 Water Absorption | ISO 10545- 3 / IS 13630 Part 2 | 3% < Average ≤ 6 % | 3% < Average ≤ 6 % | 3% < Average ≤ 6 % | Max - 3.5 % |
| | 9 Moisture Expansion | ISO 10545-10 / IS 13630 Part 3 | Declared Value | Test Method Available | 0.03 mm/m Max | 0.006 mm/m Max |
| | 10 Linear Thermal Expansion | ISO 10545-8 / IS 13630 Part 4 | Declared Value | Test Method Available | ≤9X10 ⁻⁶ K ⁻¹ | ≤9X10 ⁻⁶ K ⁻¹ |
|  | 11 Thermal Shock Resistance | ISO 10545-9/ IS 13630 Part 5 | 10 Cycle Min | 10 Cycle Min | 10 Cycle Min | 10 Cycle Min |
|  | 12 Breaking Strength | ISO 10545-4/IS 13630 Part 6 | ≥ 1000 N | ≥ 1000 N | ≥ 1000 N | ≥ 1500 N |
|  | 13 Modulus of Rupture | ISO 10545-4 / IS 13630 Part 6 | Average Min -22 N/mm ² Individual min - 20 N/mm ² | Average Min -22 N/mm ² Individual min - 20 N/mm ² | Average Min -22 N/mm ² Individual min - 20 N/mm ² | Average Min -32 N/mm ² Individual min - 30 N/mm ² |
|  | 14 Resistance to Chemical | ISO 10545- 13 /IS 13630 Part 8 | Min Class B | Min Class GB | Min Class AA | Min Class AA |
|  | 15 Resistance to stain | ISO 10545-14 / IS 13630 Part 8 | Min Class 3 | Min Class 3 | Min Class 1 | Min Class 1 |
|  | 16 Crazing Resistance | ISO 10545-11 / IS 13630 Part 9 | Required | Required | Min. 4 cycles @ 7.5 bar | Min. 4 cycles @ 7.5 bar |
|  | 17 Resistance to Surface Abrasion | ISO 10545-7 / IS 13630 Part 11 | Abrasion Class And cycle passed | Report Abrasion Class And cycle passed | Class II Min | Min Class -III |
| | 18 Scratch Hardness (Moh,s scale) | IS 13630 Part 13 | NA | NA | Min 4 | Min 5 |
| | 19 Impact Resistance(COR) | ISO 10545-5 / IS 13630 Part 14 | Declared Value | Test Method Available | 0.55 Min | 0.78 Min |
| | 20 Frost Resistance | ISO 10545-12/ IS 13630 Part 10 | Declared Value | Test Method Available | Required, if agreed to between manufacturer and purchaser | 100 Cycle Passed |
| | 21 Lead and Cadmium Release | ISO 10545-15 | Declared Value | Test Method Available | NA | Cd - <1 ppm , Pb - 52 ppm |





Kajaria Ceramics Limited

Corporate Office: J1/B1(Extn.), Mohan Co-op Industrial Estate, Mathura Road, New Delhi-110044, Ph.:+91-11-26946409, Fax: +91-11-26946407

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.: +91-0124-4081281

CIN No.: L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web.: www.kajariaceramics.com

 facebook.com/KajariaCeramicsLimited  twitter.com/KajariaCeramic, Tollfree : 1800-11-2992

Download Kajaria App  